



## **Naktuinbouw Testing & Analyses Price list 2025**

## Content

<b>Information &amp; Contact</b>	4		
<b>General costs</b>	6		
<b>Identity &amp; Quality</b>	7		
Arboriculture Crops and Fruits	7		
Diagnostics	9		
Seed Quality Analysis	10		
Variety Identification	12		
<b>Phytopathology</b>	13		
Overview tests	14		
Tests by family and species	20		
<b>A</b>			
<i>Acanthaceae</i> , such as <i>Crossandra</i> , <i>Otacanthus</i> , <i>Thunbergia</i>	20		
<i>Acoraceae</i> , such as <i>Acorus</i>	20		
<i>Actinidiaceae</i> , <i>Actinidia</i> , kiwi	20		
<i>Agapanthaceae</i> , such as <i>Agapanthus</i>	21		
<i>Aizoaceae</i> , such as <i>Aptenia</i> , <i>Delosperma</i> , <i>Lampranthus</i> , <i>Mesembryanthemum</i>	21		
<i>Alstroemeriaceae</i> , such as <i>Alstroemeria</i>	21		
<i>Amaranthaceae</i> , such as <i>Althernanthera</i> , <i>Celosia</i> , <i>Gomphrena</i> , <i>Iresine</i>	22		
<i>Amaryllidaceae</i>			
<i>Allium cepa</i> , onion	22		
<i>Allium porrum</i> , leek	23		
<i>Allium sativum</i> , garlic	24		
<i>Allium schoenoprasum</i> , chives	24		
<i>Apiaceae</i>			
such as <i>Astrantia</i>	25		
<i>Apium graveolens</i> , celery	25		
<i>Daucus carota</i> , carrot	27		
<i>Foeniculum vulgare</i> , fennel	28		
<i>Petroselinum crispum</i> , parsley	28		
<i>Apocynaceae</i> , such as <i>Catharanthus</i> , <i>Dipladenia</i> , <i>Mandevilla</i> , <i>Vinca</i>	29		
<i>Araceae</i> , such as <i>Anthurium</i>	30		
<i>Asclepiadaceae</i> , such as <i>Asclepias</i>	31		
<i>Asparagaceae</i> , <i>Asparagus officinalis</i> , asparagus	31		
<i>Asteraceae</i>			
such as <i>Argyranthemum</i> , <i>Aster</i> , <i>Calocephalus</i> , <i>Coreopsis</i> , <i>Echinacea</i> , <i>Gazania</i> , <i>Gerbera</i> , <i>Helianthus</i> , <i>Osteospermum</i>	32		
<i>Dahlia</i>	32		
<i>Helianthus annuus</i> , sunflower	33		
<i>Lactuca sativa</i> , lettuce	33		
<b>B</b>			
<i>Balsaminaceae</i> , such as <i>Impatiens</i>	35		
<i>Begoniaceae</i> , such as <i>Begonia</i>	35		
<i>Berberidaceae</i> , such as <i>Epimedium</i>	36		
<i>Boraginaceae</i> , such as <i>Anchusa</i>	36		
<i>Brassicaceae</i>			
such as <i>Arabis</i> , <i>Aubriëtia</i> , <i>Aurinia saxatilis</i> , <i>Erysimum</i> , <i>Iberis</i> , <i>Lobularia</i> , <i>Malcolmia</i> , <i>Nasturtium</i>	37		
<i>Brassica oleracea</i> , such as White cabbage, cauliflower, broccoli, Brussels sprouts, savoy cabbage, kale, turnip and red cabbage	37		
<i>Raphanus sativus</i> subsp. <i>sativus</i> , radish	39		
<i>Buxaceae</i> , such as <i>Pachysandra</i>	40		
<b>C</b>			
<i>Campanulaceae</i> , such as <i>Campanula</i> , <i>Isotoma</i> , <i>Laurentia</i> , <i>Lobelia</i> , <i>Monopsis</i> , <i>Platycodon</i>	41		
<i>Cannabaceae</i> , <i>Cannabis sativa</i>	41		
<i>Caprifoliaceae</i>			
such as <i>Knautia macedonica</i> , <i>Scabiosa</i>	42		
<i>Valerianella locusta</i> , corn salad	42		
<i>Caryophyllaceae</i> , such as <i>Arenaria</i> , <i>Dianthus</i> , <i>Gypsophila</i> , <i>Saponaria</i> , <i>Silene</i>	43		
<i>Chenopodiaceae</i>			
<i>Beta vulgaris</i> , beet	43		
<i>Spinacia oleracea</i> , spinach	44		
<i>Cistaceae</i> , such as <i>Helianthemum</i>	45		
<i>Cleomaceae</i> , such as <i>Cleome</i>	46		
<i>Commelinaceae</i> , such as <i>Tradescantia</i>	46		
<i>Convolvulaceae</i> , such as <i>Convolvulus</i> , <i>Ipomoea</i>	46		
<i>Crassulaceae</i> , such as <i>Chiastophyllum</i> , <i>Kalanchoë</i> spp., <i>Sedum</i>	47		
<i>Cucurbitaceae</i>			
such as cucumber, luffa, melon, pickle, pumpkin, squash, watermelon	47		
<b>E</b>			
<i>Euphorbiaceae</i>			
such as <i>Acalypha</i> , <i>Chamaesyce</i> , <i>Euphorbia</i> , <i>Euphorbia fulgens</i> , <i>Euphorbia pulcherrima</i>	49		
<b>F</b>			
<i>Fabaceae</i>			
such as <i>Alfalfa</i> , <i>Cassia</i> , <i>Crotalaria</i> , <i>Erythrina</i> , <i>Lotus</i> , <i>Lupinus</i>	50		
<i>Phaseolus</i> , bean	50		
<i>Phaseolus vulgaris</i> , common bean	52		
<i>Pisum sativum</i> , pea	52		
<i>Vicia faba</i> , broadbean	53		
<b>G</b>			
<i>Gentianaceae</i> , such as <i>Eustoma</i> , <i>Gentiana</i> , <i>Lisianthus</i>	54		
<i>Geraniaceae</i>			
such as <i>Erodium</i> , <i>Geranium</i> spp., <i>Pelargonium grandiflorum</i> , <i>Pelargonium peltatum</i> , <i>Pelargonium</i> spp., <i>Pelargonium zonale</i>	55		
<i>Gesneriaceae</i> , such as <i>Achimenes</i> , <i>Aeschynanthus</i> , <i>Streptocarpus</i>	56		
<i>Globulariaceae</i> , such as <i>Globularia</i>	56		
<i>Goodeniaceae</i> , such as <i>Goodenia</i> , <i>Scaevola</i>	56		
<b>H</b>			
<i>Hemerocallidaceae</i> , such as <i>Hemerocallis</i>	57		
<i>Hostaceae</i> , such as <i>Hosta</i>	57		
<i>Hydrangeaceae</i> , such as <i>Hydrangea</i>	57		
<b>I</b>			
<i>Iridaceae</i> , such as <i>Freesia</i> , <i>Iris</i> (rhizoom), <i>Sisyrinchium</i>	58		
<b>L</b>			
<i>Lamiaceae</i>			
such as <i>Agastache</i> , <i>Ajuga</i> , <i>Lavandula</i> , <i>Mentha</i> , <i>Nepeta</i> , <i>Perovskia</i> , <i>Plectranthus</i> , <i>Rosmarinus</i> , <i>Salvia</i> , <i>Thymus</i>	58		
<i>Ocimum basilicum</i> , basil	59		
<i>Liliaceae</i> , such as <i>Convallaria</i>	59		
<i>Lythraceae</i> , such as <i>Cuphea</i> , <i>Lythrum</i>	59		

## Content

<b>M</b>	
<i>Malvaceae</i> , such as <i>Abutilon</i> , <i>Alyogyne</i> , <i>Anisodonthea</i> , <i>Hibiscus</i> , <i>Lavatera</i>	60
<i>Melastomataceae</i> , such as <i>Centradenia</i> , <i>Heterocentron</i> , <i>Tibouchina</i>	60
<b>N</b>	
<i>Nolanaceae</i> , such as <i>Nolana</i>	60
<i>Nyctaginaceae</i> , such as <i>Bougainvillea</i>	60
<b>O</b>	
<i>Oleace</i> , such as <i>Jasminum</i>	61
<i>Onagraceae</i> , such as <i>Fuchsia</i> , <i>Gaura</i> , <i>Oenothera</i> , <i>Zauschneria</i>	61
<i>Orchidaceae</i> , such as <i>Cymbidium</i> , <i>Dendrobium</i> , <i>Phalaenopsis</i>	61
<i>Oxalidaceae</i> , such as <i>Oxalis</i>	62
<b>P</b>	
<i>Paeoniaceae</i> , such as <i>Paeonia</i>	62
<i>Papaveraceae</i> , such as <i>Dicentra</i>	62
<i>Passifloraceae</i> , such as <i>Passiflora</i>	63
<i>Plumbaginaceae</i> , such as <i>Ceratostigma</i> , <i>Festuca</i> , <i>Hakonechloa</i> , <i>Limonium</i> , <i>Lolium</i> , <i>Miscanthus</i> , <i>Plumbago</i>	63
<i>Polemoniaceae</i> , such as <i>Phlox</i> , <i>Polemonium</i>	63
<i>Polygonaceae</i> , such as <i>Muehlenbeckia</i> , <i>Persicaria</i> , <i>Polygonum</i>	64
<i>Portulacaceae</i> , such as <i>Portulaca</i>	64
<i>Primulaceae</i> , such as <i>Anagalis</i> , <i>Lysimachia</i>	64
<b>R</b>	
<i>Ranunculaceae</i> such as <i>Aconitum</i> , <i>Actaea</i> , <i>Anemone</i> , <i>Aquilegia</i> , <i>Clematis</i> , <i>Delphinium</i> , <i>Helleborus</i> , <i>Pulsatilla</i> , <i>Thalictrum</i> , <i>Trollius</i>	65
<i>Rosaceae</i> such as <i>Crataegus</i> , <i>Fragaria</i> , <i>Malus</i> , <i>Prunus</i> , <i>Pyrus</i> , <i>Rosa</i> , <i>Rubus</i>	65
<i>Fragaria</i> × <i>ananassa</i> , strawberry	66
<i>Rubus</i>	68
<i>Rubiaceae</i> , such as <i>Bouvardia hybr.</i> , <i>Galium</i> , <i>Manettia</i> , <i>Pentas</i>	68
<b>S</b>	
<i>Saururaceae</i> , such as <i>Houttuynia</i>	68
<i>Saxifragaceae</i> , such as <i>Astilbe</i> , <i>Bergenia</i> , <i>Francoa</i> , <i>Heuchera</i> , <i>Rodgersia</i> , <i>Saxifraga</i>	69
<i>Scrophulariaceae</i> , such as <i>Bacopa</i> , <i>Buddleja</i> , <i>Diascia</i> , <i>Hebe</i> , <i>Nemesia</i> , <i>Phygelius</i> , <i>Suter</i>	69
<i>Solanaceae</i> such as <i>Calibrachoa</i> , <i>Capsicum</i> , <i>Petunia</i> , <i>Solanum</i>	70
<i>Capsicum annuum</i> L., pepper	70
<i>Solanum lycopersicum</i> , tomato	74
<i>Solanum melongena</i> , eggplant	79
<i>Solanum sisymbriifolium</i> , sticky nightshade	81
<b>T</b>	
<i>Tropaeolaceae</i> , such as <i>Tropaeolum</i>	82
<i>Turneraceae</i> , such as <i>Turnera</i>	82
<b>U</b>	
<i>Urticaceae</i> , such as <i>Pilea</i>	82
<b>V</b>	
<i>Verbenaceae</i> , such as <i>Aloysia</i> , <i>Caryopteris</i> , <i>Clerodendron</i> , <i>Lantana</i> , <i>Lippia</i> , <i>Verbena</i>	83
<i>Violaceae</i> , such as <i>Viola</i>	83

## Information & Contact

### General instructions on submitting samples

- \* The material must be packaged in plastic and the packaging must be sealed properly. Ship the sample in a sturdy box and include the submission form with the samples in the box.
- \* Liquid samples must be submitted in vapour-tight packaging.
- \* Submission forms for the different types of orders can be found at our website, they can also be requested at the administration ([laboratory@naktuinbouw.com](mailto:laboratory@naktuinbouw.com)).
- \* Shipments of plant or seed samples for research purposes from outside the European Union (3rd countries) need to be accompanied by a phytosanitary certificate or a letter addressed to the Dutch NPPO (DOIV). You can request the letter on our website. Please contact our lab administration ([laboratory@naktuinbouw.com](mailto:laboratory@naktuinbouw.com)).
- \* If you state on your shipment that it is URGENT and has to be given priority, the sample will be prepared and tested as soon as possible. An extra urgency rate will apply.

### myNaktuinbouw

Requests for seed analysis, seed health testing and nematode testing, can be submitted electronically through myNaktuinbouw. You enter the data of the sample and select the appropriate tests. Subsequently, the sample can be sent to Naktuinbouw. When results of the tests are ready, they are available at myNaktuinbouw. You will receive the certificates as you're used to. More information can be found on [www.naktuinbouw.com](http://www.naktuinbouw.com) or feel free to contact us via: [mijn@naktuinbouw.nl](mailto:mijn@naktuinbouw.nl).

### Additional instructions

#### Submitting seeds

- \* Seed tests have been developed and validated for untreated seeds. Since the reliability of health tests may be affected if seeds have been treated, submitted seed samples should preferably be untreated. This does not apply for tests where it is stated that it can be applied on treated seeds.
- \* If seeds have been disinfected, coated or pilled, please inform us accordingly for the sake of the safety of our employees and possible influence on test results.

#### Submitting plant material

- \* Please note that you do not send plant material on Friday due to the weekend. We would like to receive your material no later than the Wednesday before the week of the assessment.
- \* The samples must be individually packed and labeled. For ELISA and PCR test, please take a look at the [manual](#).
- \* If you have more questions about sampling, please contact our customer service ([laboratory@naktuinbouw.com](mailto:laboratory@naktuinbouw.com)).

#### Submitting material for diagnostic testing

- \* Pack roots and leaves in such a way that leaves cannot be polluted by soil, e.g. by wrapping the roots in a separate plastic bag and sealing it with an elastic band around the stems.
- \* Send a whole plant if possible. Leaf symptoms may be caused by root problems.
- \* If needed you can send pictures to [diagnostiek@naktuinbouw.nl](mailto:diagnostiek@naktuinbouw.nl).

#### Submitting material to make it free from viruses

- \* Special conditions apply to the submission of material which has to be made free from viruses. You can obtain more information at Naktuinbouw Test Center in Horst (Netherlands); [testcenter@naktuinbouw.com](mailto:testcenter@naktuinbouw.com) or by phone on +31 77 398 59 19.

## Contact with Naktuinbouw Laboratories

You can contact the Laboratory Administration directly for any questions and assignments:

Administration +31 71 332 61 50  
Planning +31 71 332 62 40  
E-mail [laboratoria@naktuinbouw.nl](mailto:laboratoria@naktuinbouw.nl)

### Shipping address for samples

Naktuinbouw  
attn. Administration Laboratories  
P.O. Box 40  
2370 AA Roelofarendsveen  
The Netherlands

With **large quantities of samples** (e.g. on a pallet), please use the visiting address:

Naktuinbouw  
Sotaweg 22  
2371 GD Roelofarendsveen  
The Netherlands

For specific diagnostic enquiries please contact our Diagnostic department:

Tel. +31 71 332 62 55  
E-mail [diagnostiek@naktuinbouw.nl](mailto:diagnostiek@naktuinbouw.nl)

If you have any specific laboratory questions regarding diseases in fruit crops, arboricultural crops or strawberries, contact Test Center Horst:

Tel. +31 77 398 59 19  
E-mail [toetscentrum@naktuinbouw.nl](mailto:toetscentrum@naktuinbouw.nl)

## Terms and conditions of delivery and disclaimer

The General Terms and Conditions of Naktuinbouw apply to all services provided by the Naktuinbouw Laboratories (registered with the Chamber of Commerce and Industry for Rijnland in Leiden, the Netherlands, under no. 41150707). You can find on our website: [www.naktuinbouw.com/terms-and-conditions](http://www.naktuinbouw.com/terms-and-conditions).

All amounts stated are excluding VAT. Changes to rates are reserved.

If testing / diagnosis is not carried out by Naktuinbouw but, after having consulted the client, is subcontracted to a third party, the corresponding costs will be charged to the client.

If you state on your package that it concerns an URGENT assignment, an urgency rate will be apply.

Diagnostic samples are always priority; an extra urgency rate will apply.

Additional testing may be required if a possible pathogen is found. Extra costs for confirmation testing will be charged.

The results of tests or assessments provided by Naktuinbouw Laboratories only relate to the actual sample tested and not to the lot concerned, unless Naktuinbouw states otherwise.

## General costs

Naktuinbouw charges administrative fees per registration.

**Basic fee 2025**

\* Basic rates will be calculated per assignment<sup>1</sup>:

Basic rate per assignment per crop	Regular	€ 40,40
	Via myNaktuinbouw <sup>2</sup>	€ 24,40

- \* Assignments for plant material: Samples of the same crop are jointly registered in one assignment. The basic rate will be charged once.
- \* Assignments for seeds and soil: Each sample is registered as a separate assignment. The basic rate is charged per sample.
- \* Assignments for a combination of soil, seeds and plant material: These are different samples and are registered as a separate assignment. The basic rate is charged per assignment.

<sup>1</sup> This applies only to Variety Identification, Seed Quality Analysis and Phytopathology assignments

<sup>2</sup> Registration through myNaktuinbouw is only possible for tests on soil and seeds. Plant material cannot yet be registered through myNaktuinbouw

In addition to the tests performed by Naktuinbouw, we also offer a number of general services.

Services	Rate
Creation of an ISTA certificate	€ 14,50
Disinfection of seeds before testing	€ 30,60
Handling fee sample bags	€ 3,00
Urgency fee	€ 117,00
Special tests by Netherlands Food and Consumer Product Safety Authority (NPPO)	€ 381,00
Fee per hour for extra research (if needed)	€ 203,00
Alteration on an ISTA certificate	€ 52,00
Alteration on a Naktuinbouw certificate	€ 52,00

***When sampling is carried out by an inspector, the sampling costs are calculated by our Inspections department***



## Identity & Quality

The identity and quality of propagating material is important. Naktuinbouw can assess the identity and quality of your material.

Do you doubt the identity of a variety? Do you suspect admixture in a lot? Or is your material showing symptoms and do you want to know what it is?

Naktuinbouw can help you find an answer to these questions. We can also make tree nursery crops virus-free, and provide quality and purity determinations for seeds of flowers, trees, vegetables, fruits and herbs.

## Arboriculture Crops and Fruits

### Bio assays and making crops free from viruses

Arboricultural crops (including apples, pears, small fruit, strawberries and roses) are made free from viruses by means of various treatments, including heat treatment, at the Naktuinbouw Test Centre in Horst. The tops of treated plants are grafted onto virus-free rootstock or propagated from cuttings. Subsequent laboratory analyses, liquid inoculations using test plants and grafting onto woody indicators is applied to confirm the virus-free status of the grafted tops.

### Composition of the test fee

Naktuinbouw charges a base fee for handling costs in addition to the test rate as indicated below.

In addition, a base rate per entry per crop is charged for the purpose of administrative processing.

**Base rate: € 68,50**

Tests	Sample size	Test rate (ex. base rate)
Virus test on two herbaceous host, both in duplicate	min. 2 g. leaves	€ 274,00
Each following test plant, per single plant	min. 2 g. leaves	€ 61,00
Virus test on two herbaceous host Saponaria, both in duplicate	min. 2 g. leaves	€ 191,00
Virus test candidate plants fruit crops on herbaceous host, Chenopodium quinoa (4 repetitions)		€ 274,00
Virus test candidate plants fruit crops on herbaceous host, Nicotiana occidentalis 37B (4 repetitions)		€ 274,00
Virus test candidate plants fruit crops on herbaceous host, Cucumis sativus (4 repetitions)		€ 274,00
Virus test candidate plants fruit crops on herbaceous host, Chenopodium quinoa en Nicotiana occ. 37B (2 repetitions)		€ 274,00
Virus test on Rubus occidentalis (maintenance prebasic)		€ 289,00
Virus test on Rubus occidentalis (candidate plants)		€ 454,00
Virus test on Rubus Baumforth Seedling (candidate plants)		€ 454,00
Virus test on Rubus Norfolk Giant (candidate plants)		€ 454,00
Combination Apple viruses PCR test (ApMV – ACLSV - ASGV - ASPV)	Max. 2 leaves	€ 36,80
	Max. 10 leaves	€ 70,80
	Max. 25 leaves	€ 195,60
Virus test on woody indicator plants (in the greenhouse per indicator, per specimen)		€ 454,00
Virus test on woody indicator plants (in the field per indicator, per specimen)		€ 199,00
Virus test of strawberry by leaf grafting on Fragaria UC5 (maintenance prebasic)		€ 143,00
Virus test of strawberry by leaf grafting on Fragaria UC5 (candidate plants)		€ 274,00
Virus test of strawberry by leaf grafting on Fragaria UC12 (candidate plants)		€ 274,00
Combination of strawberry viruses PCR test (SCV – SVBV – SMoV – SMYEV)	Max. 2 leaves	€ 36,80
	Max. 10 leaves	€ 70,80

<b>Rendering free of viruses; Making woody plants virus-free (per variety)</b>	
<b>Including testing program, heat treatment if necessary, excluding identity determination</b>	
	<b>Rate per year</b>
Strawberry	€ 5.110,00
<b>Soft fruits (maximum 2 years)</b>	
<i>Ribes</i>	€ 4.270,00
<i>Rubus</i>	€ 4.270,00
<i>Vaccinium</i>	€ 2.910,00

<b>Rendering free of viruses; Making woody plants virus-free (per variety)</b>	
<b><i>Malus, Pyrus</i> (maximum 5 years)</b>	
	<b>Rate per year</b>
year 1 (pre-testing, heat treatment)	€ 3.670,00
year 2 (testing treated material)	€ 6.540,00
year 3 up to year 5 (maintaining treated material; fee per year)	€ 880,00
<b><i>Prunus</i> (maximum 4 years)</b>	
year 1 (pre-testing, heat treatment)	Tarief per jaar € 3.140,00
year 2 (testing treated material)	€ 5.360,00
year 3 and year 4 (maintaining treated material; fee per year)	€ 880,00
Other woody plants	upon request
Extra heat treatment	€ 1.240,00

Per order of woody plants and strawberry, 3 fully tested plants will be delivered.

<b>Health certificate import for (EU) 2019/829</b>	<b>Rate</b>
<i>Actinidia</i>	€ 1.389,66
<i>Fragaria</i>	€ 4.791,20
<i>Malus, Pyrus, Cydonia</i>	€ 1.425,70
<i>Prunus</i>	€ 2.883,20
<i>Rubus, Ribes</i>	€ 3.998,32
<i>Vaccinium</i>	€ 2.722,08

<b>Special services</b>	<b>Rate</b>
Preparing material for the request for Plant Breeders' Rights	upon request
DNA fingerprinting strawberry or raspberry variety	upon request



## Diagnostics

Diagnostics brings the practice of horticulture, the diagnosticians and the researchers of Naktuinbouw Laboratories together. Annually about 250 different crops from numerous countries are studied. The wide experience makes Diagnostics a good partner for reliable diagnoses of diseases, pests and cultivation problems. Please note that our Diagnostics team only performs tests on material with symptoms.

### Composition of the test fee

Our Diagnostics Team works with a fixed rate. Assignments are immediately processed. The fees below are including the urgency rate. Our Diagnostic Laboratory can handle virus tests for limited-scope diagnosis such as TSWV, INSV and PepMV rather quickly and the applicant can have the test result usually within one day. If necessary, found organisms can be further identified with the help of molecular techniques.

### Fees for diagnosis

	Method	Test rate
Standard diagnosis, first sample	Depending on disease	€ 323,00
Each additional sample		€ 150,00
Limited diagnosis, first sample	Visual or other limited research	€ 253,00
Each additional sample		€ 150,00
Testing for up to 5 viruses, first sample	ELISA	€ 173,00
Each additional sample	ELISA	€ 80,00
Testing for up to 10 viruses, first sample	ELISA	€ 207,00
Each additional sample	ELISA	€ 109,00
PCR testing per sample <sup>1</sup>	PCR	€ 144,00
Sequentie analyse (such as Minion)	Sequencing	€ 590,00
Fee per hour for additional work (if needed)		€ 189,00

	Method	Basic test	Agglutination <sup>1</sup>	Confirmation PCR <sup>1</sup>
<i>Erwinia amylovora</i>	Culture method	€ 224,00	€ 63,00	€ 83,50
<i>Phytophthora fragariae</i>	Visual determination	€ 199,00		€ 142,00
<i>Xanthomonas arboricola</i> pv. <i>pruni</i>	Culture method	€ 245,00		€ 142,00
<i>Xanthomonas fragariae</i>	Culture method	€ 184,00		€ 142,00

- \* The fee for any succeeding additional sample only applies to samples of the same assignment and same crop.
- \* If an assignment is clearly so extensive that additional costs must be incurred it cannot possibly be done for these fees, we will contact you in advance.
- \* If a submission contains many samples, it may be chosen to work according to an hourly rate. This may also be chosen in the case of non-standard tests or combinations of tests. In these cases we will contact you in advance.
- \* Extra costs for additional services provided, such as sampling or transport, will be charged invoiced.

<sup>1</sup> An extra PCR test is carried out when final identification of a pathogen is needed.

## Seed Quality Analysis

The Seed Analysis Laboratory carries out various tests to assess the quality of seed of flowers, trees, vegetables and herbs. Tests for germination, purity and moisture content or for tetrazolium and weeds are carried out under ISTA accreditation. In addition, the more practice-related Usable Plants Test can be performed. This can be applied to crops such as tomato, sweet pepper, cucumber-like crops, lettuce and cabbage.

### Lead time

The lead times are not stated here, because they are crop-dependent. The waiting time till start of the test will be maximal 3 weeks. In exceptional cases (e.g. large demand of tests) it might deviate.

<b>Seed Quality Analysis</b>				
Type of test	Type of certificate	Sample size	Test code	Test rate (ex. base rate page 6)
Thousand seed weight (This determination is performed on pure seed)	ISTA certificate / Naktuinbouw certificate	800 seeds	DKG 008	€ 36,60
Germination test	ISTA certificate / Naktuinbouw certificate	400 seeds	KK004	€ 82,50
	Naktuinbouw certificate	300 seeds	KK003	€ 72,00
		200 seeds	KK002	€ 63,00
		100 seeds	KK001	€ 54,50
Germination on weight	Naktuinbouw certificate	Betula 1 gram	KK/GEW BEP	€ 151,00
Tetrazolium test (excluding tree and palm seeds)	ISTA certificate / Naktuinbouw certificate	400 seeds	TET004	€ 326,00
	Naktuinbouw certificate	200 seeds	TET002	€ 269,00
		100 seeds	TET001	€ 154,00
Tetrazolium test (tree and palm seeds)	ISTA certificate / Naktuinbouw certificate	400 seeds	TETB004	€ 550,00
	Naktuinbouw certificate	200 seeds	TETB002	€ 488,00
		100 seeds	TETB001	€ 289,00
Usable Plant test	Naktuinbouw certificate	400 seeds	TBP004	€ 151,00
		300 seeds	TBP003	€ 142,00
		200 seeds	TBP002	€ 132,00
		100 seeds	TBP001	€ 123,00
Moisture determination	ISTA certificate / Naktuinbouw certificate	50 or 100 gram	VOC	€ 33,10
	Naktuinbouw certificate	25 gram	VOC	€ 33,10

<b>Seed Quality Analysis</b>				
Type of test	Type of certificate	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Vigour tests</b>				
Accelerated Aging Test	Naktuinbouw certificate			Upon request
Cold test (maize)	Naktuinbouw certificate	400 seeds	VIG004	€ 82,50
		300 seeds	VIG003	€ 72,00
		200 seeds	VIG002	€ 63,00
Conductancy test beans or peas (excl. moisture determination)	Naktuinbouw certificate	200 seeds	VIG EC 002	€ 32,00
Root respiration (beetroot and corn)	Naktuinbouw certificate	400 seeds	KK004	€ 82,50
		300 seeds	VIG WU 003	€ 72,00
		200 seeds	VIG WU 002 SB	€ 63,00
<b>Purity tests</b>				
Determining the presence of other seeds	ISTA certificate / Naktuinbouw certificate	25,000 seeds maximal 1 kilo	OB 250 OROB	€ 238,00
Determining the presence of broken, discoloured etc. seeds ('piksel')	ISTA certificate / Naktuinbouw certificate		PB	€ 38,20
Seed determination	ISTA certificate / Naktuinbouw certificate			Upon request
Purity test	ISTA certificate / Naktuinbouw certificate	2,500 seeds	ZB	€ 65,50
Purity test and determination of other seeds export Australia	ISTA certificate / Naktuinbouw certificate	25,000 seeds	OB ZB AUSTRALIE	€ 283,00
<b>Various</b>				
Determining dry matter of onion/carrot	Naktuinbouw certificate	10 bulbs/roots	DSB	€ 36,60
Determining the kind of starch for pea	Naktuinbouw certificate	5 seeds	ZB	€ 65,50
Determining 'single seeds rate' of beet seeds	Naktuinbouw certificate	400 seeds	MON	€ 68,00
Determining the presence of beetles in seed lots	Naktuinbouw certificate		KEV	€ 38,20
Determining the presence of Rhizomanie	Naktuinbouw certificate	500 gram seeds	RHI	€ 37,60
Determining the presence of Sclerotinia	Naktuinbouw certificate	25,000 seeds	SCL250	€ 72,00
Determination of number of clay particles for the purpose of Urocystis cepulae	Naktuinbouw certificate	25,000 seeds	URO	€ 71,50
Fractioning test	Naktuinbouw certificate			Upon request

## Variety Identification

### Identity testing

Naktuinbouw has laboratory techniques to determine the identity of your material. This may be important and useful where material has been mixed, mistakenly replaced, origin tracing (pathogens), when the matter is urgent and/or when morphological research is not possible.

Identity testing is carried out by using DNA fingerprint techniques. A typical research project includes sampling, DNA isolation, fingerprinting, analysis, determination of the genetic relations, statistical analysis and reporting.

It is important for identity testing that the commissioning party provides the samples as well as adequate reference samples. If samples need to be compared to a Naktuinbouw database with varieties from a third party, Naktuinbouw has to and will ask for permission from said parties before a report can be issued.

For the crops; Strawberry, Phalaenopsis, Apple, Potato and Rose Naktuinbouw features a SSR-Database. For these varieties it is possible to do an identification project per sample.

### Rates for SSR identification

Number of samples	Rate per sample (ex. base rate page 6)
1-4 samples	€ 364,00
5-8 samples	€ 336,00
9-16 samples	€ 303,00
More than 16 samples	Upon request

### Fee for standard AFLP projects

Sample selection for AFLP projects are the responsibility of the commissioning party. If Naktuinbouw feels that the selection of reference varieties and/or the number of primer combinations are inadequate, no report will be issued until further testing. Unless the commissioning party is requesting a specific set of primer combinations for testing and analyses, it is up to Naktuinbouw to choose the primer combinations which will be tested.

Number of samples	Rate per sample (ex. base rate page 6)
1-16 samples with 4 primer combinations	Upon request
For other amounts of samples (17-32 or 33-64) and/or other amounts of primer combinations	Upon request

### Variety Tracer

Naktuinbouw developed a concept to help with settling the allegations of infringement of Plant Breeders' Rights and patents: Naktuinbouw Variety Tracer®. It can provide evidence in cases of alleged infringement of plant breeders' rights, it allows to determine the identity of varieties and it can confirm suspicion of repeated cropping. Naktuinbouw Variety Tracer combines knowledge, independence and the possibility of morphological research with the possibilities of DNA fingerprint techniques. It is the combination of – and synergy between – these elements that guarantees extremely sound analyses and provides important evidence for possible court cases.

### Molecular identification of Cmm / Xcc isolates.

The molecular analysis of isolates of plant pathogenic bacteria will give insight in the genetic similarity. This will be done by comparing the DNA profiles from the supplied samples amongst each other and to profiles stored in the database. The results of the analysis can give insight into the relationship between the occurrences of different isolates. The analysis will be performed on a single colony culture. These can be supplied by you, accompanied with a laboratory submission form. A combination with a diagnostic test is also possible if bacteria are found in symptomatic material. A single colony culture will be made on which the molecular analysis and comparison will be performed. The results will be provided in a report including a dendrogram.

## Phytopathology

Naktuinbouw can test the quality of seed and plant material for the presence of fungi, viruses and viroids, bacteria, phytoplasmas and nematodes. These tests give you certainty as to the quality of your propagating material.

### Testing for bacteria

Seed and plant material can be tested for the presence of bacterial diseases. Methods that are used are e.g., plating, pathogenicity tests and PCR.

### Testing for fungi

Testing for fungi is usually done by a plating method, combined with identification by microscope. New DNA techniques are used for sensitive detection of e.g. Fusarium species. Testing for fungi can also be done on soil samples, e.g. for *Verticillium dahliae* and *Fusarium oxysporum* f.sp. asparagi.

### Testing for Nematodes

Nematodes can seriously harm crops. Preventative testing of the soil, seeds and plant material can prevent this. Naktuinbouw offers testing for various plant-parasitic nematodes which may harm your crops. For example, the presence of *Xiphinema* and *Longidorus* species in soil may be demonstrated as part of the Elite certification procedure for strawberries.

A plant passport is required for trade in onion sets (seed) for stem nematode (*Ditylenchus dipsaci*). A seed test is an option to meet plant passport requirements.

Some other crops also require a statement that they are free from nematode when exported to certain destinations. Naktuinbouw can help you with this. If you would like further information, please contact the Laboratories Administration Team.

### Virus tests, viroids and phytoplasmas

Plant material can be tested for the presence of viruses, viroids or phytoplasmas, using the latest new molecular techniques. A quick test is available for some about 70 viruses in floricultural and arboricultural crops: the ELISA and PCR. These techniques can be used routinely and gives quick results. Testing with indicator plants or PCR is also possible. These tests are only carried out on leaf material. Tissue culture plants show a reduced sensitivity in the ELISA.

### Lead time

The mentioned test time is the time between start of the test till sending of the certificate. The waiting time till start of the test will be maximal 2 weeks for leaves and 3 weeks for seeds. In exceptional cases (e.g. large demand of tests) it might deviate.

## Overview tests

Plant material of floricultural and arboricultural crops can be tested for many viruses, bacteria, fungi and nematodes. All tests that Naktuinbouw can perform on plant material are listed below. Further on in the price list we indicate per family and species which tests are possible on seeds and which tests we recommend for planting material.

<b>Bacteria Plant material &amp; Water</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Agrobacterium tumefaciens</i>	Culture method, incl. possible confirmation PCR	7	200 - 250 ml water	ATUMP	€ 159,00
	PCR	4	Max. 5 stem parts	ATUMQ	€ 71,50
<i>Erwinia amylovora</i> (latent)	Culture method, incl. possible confirmation PCR and agglutination	11	100 twigs	ERAMYS000	€ 155,00
<i>Erwinia pyrifoliae</i>	PCR	4	Max. 30 leaves	EPQ000	€ 189,00
<i>Ralstonia solanacearum</i>	Culture method, incl. possible confirmation PCR	12	200 - 250 ml water	RSOLA	€ 89,00
	PCR, incl. possible culture method and confirmation PCR	10	1-10 stem parts	RSQ	€ 108,00
			11-200 stem parts	RSQ000	€ 144,00
<i>Ralstonia solanacearum</i> confirmation by NPPO	External				€ 183,00
<i>Rhodococcus fascians</i>	PCR	4	Max. 10 stem parts	RFAQ000	€ 71,50
<i>Xanthomonas axonopodis</i> pv. <i>dieffenbachiae</i>	PCR	4	Max. 5 leaves+petioles	XADIEQ	€ 71,50
			Max. 25 leaves+petioles	XADIEQ000	€ 107,00
			100 to 200 leaves or twigs	XYLEFAQ000	€ 269,00
<i>Xylella fastidiosa</i>	PCR	4			€ 269,00
<i>Xylella fastidiosa</i> confirmation by NPPO	External				€ 183,00

### Combination tests:

<i>Agrobacterium tumefaciens</i> and <i>Rhodococcus fascians</i>	PCR	4	Max. 5 stem parts	COMBIAFQ	€ 70,00
<i>Dickeya</i> spp. and <i>Pectobacterium</i> spp.	PCR	4	1-10 stem parts	COMBIDPQ	€ 87,50
<i>Erwinia pyrifoliae</i> and <i>Xanthomonas fragariae</i>	PCR	4	Max. 30 leaves	COMBIXEQ000	€ 163,00

### Fungi Plant material

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Fusarium oxysporum</i>	Culture method, incl. possible microscopic confirmation	10	1-6 stemparts	FOA	€ 97,50
			7-50 stemparts	FOA000	€ 154,00
<i>Neopestalotiopsis</i> spp.	PCR	4	1-10 petioles with leaf base	NSQ	€ 188,00
<i>Phytophthora ramorum</i>	PCR	4	Max. 20 leaves	PRQ000	€ 71,50
<i>Verticillium dahliae</i>	Culture method	14	Max. 5 stem parts	VDA000	€ 89,00
<i>Verticillium</i> species	Culture method	15	5 stem parts	VSA000	€ 89,00
<i>Phytophthora ramorum</i> and <i>Phytophthora kernoviae</i>	PCR	4	Max. 20 leaves	COMBIPRKQ000	€ 87,50
<i>Verticillium dahliae</i> en <i>Verticillium albo-atrum</i>	PCR	4	1-10 petioles with leaf base	COMBIVVQ	€ 203,00
<i>Neopestalotiopsis</i> and <i>Phytophthora cactorum</i>	PCR	4	1-10 petioles with leaf base	COMBINPQ	€ 204,00
<i>Colletotrichum acutatum</i> , <i>Neopestalotiopsis</i> and <i>Phytophthora cactorum</i>	PCR	4	1-10 petioles with leaf base	COMBICNPQ	€ 220,00
<i>Colletotrichum acutatum</i> , <i>Neopestalotiopsis</i> spp., <i>Phytophthora cactorum</i> , <i>Verticillium albo-atrum</i> s.l. and <i>Verticillium dahliae</i>	PCR	4	1-10 petioles with leaf base	COMBICNPVQ	€ 256,00

Fungi Soil					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Verticillium dahliae</i>	Culture method	25	2 - 2,5 liter soil	VDAHLA000	€ 194,00

Nematodes Plant material & Water						
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)	
<i>Aphelenchoides</i> spp.	Mist method	5	25 gram	APHEM	€ 74,00	
<i>Aphelenchoides besseyi</i>	Mist method	5	25 gram	APHE-BEM	€ 65,00	
<i>Aphelenchoides fragariae</i>	Mist method	5	25 gram	APHE-FRM	€ 65,00	
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	25 gram	APHE-RIM	€ 65,00	
<i>Aphelenchoides subtenuis</i>	Mist method	5	25 gram	APHE-SUM	€ 65,00	
<i>Ditylenchus</i> spp.	Mist method	5	25 gram	DITYM	€ 65,00	
<i>Ditylenchus destructor</i>	Mist method	5	25 gram	DITY-DEM	€ 65,00	
			60 bulbs garlic	DITY-DEM060K	€ 65,00	
			200 gloves garlic	DITY-DEM200K	€ 65,00	
<i>Ditylenchus dipsaci</i>	Mist method	5	25 gram	DITY-DIM	€ 65,00	
			3	60 bulbs onion	DITY-DIM060U	€ 65,00
			3	60 bulbs garlic	DITY-DIM060K	€ 65,00
			3	200 gloves garlic	DITY-DIM200K	€ 65,00
			3	400 bulbs onion sets	DITY-DIM400P	€ 65,00
<i>Meloidogyne</i> spp.	Mist method	5	25 gram	MELOM	€ 85,00	
Verification <i>Meloidogyne</i> spp. by NPPO	External				€ 183,00	
<i>Meloidogyne chitwoodi</i>	Mist Method	5	25 gram	MELO-CHM	€ 65,00	
	Mist method and incubation	19	25 gram	MELO-CHMINC	€ 145,00	
<i>Meloidogyne fallax</i>	Mist method	5	25 gram	MELO-FAM	€ 65,00	
	Mist method and incubation	19	25 gram	MELO-FAMINC	€ 145,00	
<i>Meloidogyne hapla</i>	Mist method	5	25 gram	MELO-HAM	€ 65,00	
	Mist method and incubation	19	25 gram	MELO-HAMINC	€ 145,00	
<i>Meloidogyne incognita</i>	Mist method	5	25 gram	MELO-INM	€ 65,00	
<i>Meloidogyne naasi</i>	Mist method	5	25 gram	MELO-NAM	€ 65,00	
	Mist method and incubation	19	25 gram	MELO-NAMINC	€ 145,00	
<i>Meloidogyne minor</i>	Mist method	5	25 gram	MELO-MIM	€ 65,00	
	Mist method and incubation	19	25 gram	MELO-MIMINC	€ 145,00	
<i>Pratylenchus</i> spp.	Mist method	5	25 gram	PRATM	€ 85,00	
Verification <i>Pratylenchus</i> spp. by NPPO	External				€ 183,00	
<i>Pratylenchus crenatus</i>	Mist method	5	25 gram	PRAT-CRM	€ 65,00	
<i>Pratylenchus fallax</i>	Mist method	5	25 gram	PRAT-FAM	€ 65,00	
<i>Pratylenchus neglectus</i>	Mist method	5	25 gram	PRAT-NEM	€ 65,00	
<i>Pratylenchus penetrans</i>	Mist method	5	25 gram	PRAT-PEM	€ 65,00	
<i>Pratylenchus vulnus</i>	Mist method	5	25 gram	PRAT-VUM	€ 65,00	
<i>Pratylenchus penetrans</i>	Mist method	5	25 gram	PRAT-PEM	€ 65,00	
<i>Pratylenchus vulnus</i>	Mist method	5	25 gram	PRAT-VUM	€ 65,00	

NEW Nov. 2024



<b>Nematodes Plant material &amp; Water (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Radopholus</i> spp.	Centrifuge method	5	10 gram	RADOC	€ 97,00
<i>Radopholus similis</i>	Centrifuge method	5	10 gram	RADO-SIC	€ 97,00
			60 gram	RADO-SIC060	€ 291,00
	Oostenbrink		50 ml water	RADO-SIO000W	€ 97,00
<b>Combination tests:</b>					
<i>Aphelenchoides besseyi</i> and <i>Aphelenchoides fragariae</i>	Mist Method	5	25 gram	COMBIAFABM	€ 65,00
<i>Aphelenchoides besseyi</i> , <i>Aphelenchoides fragariae</i> , <i>Aphelenchoides ritzemabosi</i> and <i>Aphelenchoides subtenuis</i>	Mist Method	5	25 gram	COMBIABFRSM	€ 65,00
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	5	25 gram	COMBIADM	€ 89,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist method	5	60 bulbs garlic	COMBIDDD060K	€ 65,00
			200 gloves garlic	COMBIDDD200K	€ 65,00
<i>Meloidogyne chitwoodii</i> and <i>M. fallax</i>	Mist Method	5	25 gram	COMBIMMM	€ 65,00
Plant parasitic nematods - <i>Ditylenchus</i> spp. - <i>Helicotylenchus</i> spp. - <i>Hemicycliohora</i> spp. - <i>Heterodera</i> spp. - <i>Longidorus</i> spp. - <i>Meloidogyne</i> spp. - <i>Paratrichodorus</i> spp. - <i>Paratylenchus</i> spp. - <i>Pratylenchus</i> spp. - <i>Radopholus</i> spp. - <i>Rotylenchus</i> spp. - <i>Trichodorus</i> spp. - <i>Tylenchorynchus</i> spp. - <i>Xiphinema</i> spp.	Mist Method	5	25 gram	COMBINEMAPLANT	€ 203,00

NEW Feb. 2025

<b>Nematodes Soil</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Ditylenchus</i> spp.	Oostenbrink	4	1,5 liter	DITYO000	€ 117,00
<i>Ditylenchus dipsaci</i>	Oostenbrink	4	1,5 liter	DITY-DIO000	€ 117,00
<i>Meloidogyne chitwoodii</i>	Oostenbrink	4	200 ml	MELO-CHO000	€ 117,00
	Oostenbrink and incubation	18	200 ml	MELO-CHO000INC	€ 198,00
<i>Meloidogyne fallax</i>	Oostenbrink	4	200 ml	MELO-FAO000	€ 117,00
	Oostenbrink and incubation	18	200 ml	MELO-FAO000INC	€ 198,00
<i>Meloidogyne hapla</i>	Oostenbrink	4	200 ml	MELO-HAO000	€ 117,00
	Oostenbrink and incubation	18	200 ml	MELO-HAO000INC	€ 198,00



<b>Nematodes Soil (Continued)</b>					
<b>Pathogen</b>	<b>Method</b>	<b>Lead time (more info on page 13)</b>	<b>Sample size</b>	<b>Test code</b>	<b>Test rate (ex. base rate page 6)</b>
<i>Meloidogyne naasi</i>	Oostenbrink	4	200 ml	MELO-NAO000	€ 117,00
	Oostenbrink and incubation	18	200 ml	MELO-NAO000INC	€ 198,00
<i>Meloidogyne minor</i>	Oostenbrink	4	200 ml	MELO-MIO000	€ 117,00
	Oostenbrink and incubation	18	200 ml	MELO-MIO000INC	€ 198,00
<i>Pratylenchus</i> spp.	Oostenbrink	4	200 ml	PRATO000	€ 117,00
Verification <i>Pratylenchus</i> spp. by NPPO	External				€ 183,00
<i>Pratylenchus crenatus</i>	Oostenbrink	4	200 ml	PRAT-CRO000	€ 117,00
<i>Pratylenchus fallax</i>	Oostenbrink	4	200 ml	PRAT-FAO000	€ 117,00
<i>Pratylenchus neglectus</i>	Oostenbrink	4	200 ml	PRAT-NEO000	€ 117,00
<i>Pratylenchus penetrans</i>	Oostenbrink	4	200 ml	PRAT-PEO000	€ 117,00
<i>Pratylenchus vulnus</i>	Oostenbrink	4	200 ml	PRAT-VUO000	€ 117,00
<i>Radopholus</i> spp.	Oostenbrink	4	200 ml	RADOO000	€ 97,00
			300 ml	RADOO300	€ 97,00
<b>Combination tests:</b>					
<i>Meloidogyne chitwoodii</i> and <i>M. fallax</i>	Oostenbrink	4	200 ml	COMBIMMO000	€ 117,00
<i>Longidorus</i> and <i>Xyphinema</i>	Oostenbrink	4	200 ml	COMBIXLO000	€ 77,00
Plant parasitic nematods - <i>Ditylenchus</i> spp. - <i>Helicotylenchus</i> spp. - <i>Hemicycliohora</i> spp. - <i>Heterodera</i> spp. - <i>Longidorus</i> spp. - <i>Meloidogyne</i> spp. - <i>Paratrichodorus</i> spp. - <i>Pratylenchus</i> spp. - <i>Pratylenchus</i> spp. - <i>Radopholus</i> spp. - <i>Rotylenchus</i> spp. - <i>Trichodorus</i> spp. - <i>Tylenchorynchus</i> spp. - <i>Xyphinema</i> spp.	Oostenbrink	4	200 ml	COMBINEMAGROND	€ 205,00

### Virus Plant material PCR

You can test for the viruses below with PCR:

ACLSV<sup>1</sup>, AltMV, AMV, ApMV<sup>1</sup>, ArMV, ASGV<sup>1</sup>, ASPV<sup>1</sup>, BaCV, BRNV, BYMV<sup>1</sup>, CatMV, CChMVd, CLRV, CMV, CSVd, CymMV, DMV, FreMV<sup>1</sup>, FreSV<sup>1</sup>, FV1<sup>1</sup>, Fytoplasma<sup>1</sup>, HeMV, HeNNV, HLVD, HVX, INSV, NVX, OFV, ORSV, PFBV, PLPV, Pospiviroids<sup>1</sup>, PPV<sup>1</sup>, PSTVd/TCVd/TPMVd, PDV, RBDV, RLMV, RpRSV, RVCV, RYNV, SCV<sup>1</sup>, SmoV<sup>1</sup>, SMYEV<sup>1</sup>, SLRSV, SVBV<sup>1</sup>, TBRV/BRSV, Tobamovirus *Brassicaceae*-group<sup>1</sup>, Tobamovirus *Solanaceae*-group<sup>1</sup>, Tombusvirus<sup>1</sup>, ToRSV<sup>1</sup>, TRSV<sup>1</sup>, TRV<sup>1</sup>, TSV, TSWV, VeLV

Sample size*	Method	Lead time (more info on page 13)	Test rate per virus (ex. base rate page 6)
Max. 2 leaves	PCR	4	€ 9,20
Max. 10 leaves	PCR	4	€ 17,70
Max. 25 leaves	PCR	4	€ 48,90

<sup>1</sup> Some tests have different rates, sample sizes or material. These tests are listed in the table below.

\* For more information about the sample size, please take a look at the [manual](#).

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
ACLSV, ApMV, ASGV and ASPV	PCR	4	Max. 2 stem parts or leaves	€ 9,20
			Max. 10 stem parts or leaves	€ 17,70
			Max. 25 leaves	€ 48,90
Phytoplasma, for material without symptoms	PCR	4	Max. 5 stem parts, root parts or leaf vein	€ 48,90
PPV	PCR	4	Max. 2 leaves or stem parts	€ 9,20
			Max. 10 leaves or stem parts	€ 17,70
			Max. 25 leaves or stem parts	€ 48,90
Pospiviroids (CEVd, CLVd, CSVd, IrVd1, PCFVd, PoVd, PSTVd, TASVd, TCDVd, TPMVd)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 9,60
			Max. 10 leaves	€ 18,00
			Max. 25 leaves	€ 49,30
			Max. 200 leaves	€ 90,00
SCV, SmoV, SMYEV and SVBV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
NEW Jan. 2025 Tobamovirus <i>Brassicaceae</i> -group (RMV, TVCV, WMoV, YoMV)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90
NEW Jan. 2025 Tobamovirus <i>Solanaceae</i> -group (AEaV, BPeMV, CPMMoV, ObPV, PaMMV, PMMoV, ReMV, ToBRFV, ToMMV, ToMV, TMGMV, TMV, TSAMV, YTMMV, YPMMoV)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 11,20
			Max. 10 leaves	€ 19,70
			Max. 25 leaves	€ 51,00

NEW Apr. 2025

<b>Virus Plant material PCR (Continued)</b>				
Tombusvirus (AMCV, CBLV, CIRV,CNV, CymRSV, EMCV, GALV, HRV, LFDV1, LRV2, MPV, NRV, PAMV, PLCV, PNSV, SQBV, TBSV)	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90
ToRSV and TRSV	PCR	4	Max. 2 stem parts or leaves	€ 9,20
			Max.10 stem parts or leaves	€ 17,70
			Max. 25 leaves	€ 48,90
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00
TRV	PCR	4	Max. 2 leaves or root parts	€ 9,20
			Max. 10 leaves or root parts	€ 17,70
			Max. 25 leaves or root parts	€ 48,90
<b>Freesia virussen:</b>				
FreMV, FreSV, BYMV and FreV1	PCR	4	Max. 2 leaves	€ 9,20
			Max. 50 leaves	€ 22,50

### Virus Plant material ELISA

You can test for the viruses below. If a virus has a changed name, the old name is stated behind in brackets <sup>2</sup>.

AICV (LSV), AIMV, AltMV, AMV, AnFBV (AFMoV), ArMV, BWYV, BYMV, CarMV, CbMV, CERV, CLV, CMV, CNFV, CRSV, CSNV<sup>1</sup>, CVB, CVMV, CymMV, EMDV, ErLV, HdRSV, HVX, INSV, IYSV, KLV, KMV, ORSV, PEBV, PepMV, PFBV, PLPV, PMMoV, PnMV, Potyvirus <sup>3</sup>, PVX, PVY, RMV, ScrMV, SFBV, SLRSV, SYNV, TAV, TBRV, TBSV, TMGMV, TMV-WU1, TNV1, TNV2, ToMV-DO3, ToRSV<sup>1</sup>, TRSV<sup>1</sup>, TRV, TSV, TSWV, TYMV

Sample size*	Method	Lead time (more info on page 13)	Test rate per virus (ex. base rate page 6)
1-2 leaves/cuttings, in total ca. 2 cm2	ELISA	4	€ 5,70

<sup>1</sup> Some tests have different rates, sample sizes or material. These tests are listed in the table below.

\* For more information about the sample size, please take a look at the [manual](#).

<sup>2</sup> Some virus tests can also detect other viruses in ELISA:

Virus test	Also detects
RMV	TVCV, YoMV
ScrMV	NeRNV
TBSV	PLCV, PetAMV
TYMV	WWVV

<sup>3</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
Asparagus virus 1 (AV1)	ELISA	4	10 x 10 leaves	€ 40,60
<i>Chrysanthemum</i> stem necrosis virus (CSNV) confirmation by NPPO	External			€ 183,00
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00



## Tests by family and species

Most of our seed tests have been validated for specific crops. In this section we show per family and crop which tests Naktuinbouw has available for seeds. For plant material we list the tests we recommend per family and/or species. This is based on diseases that often are found or are a risk in these families.

### Acanthaceae

Such as *Crossandra*, *Otacanthus*, *Thunbergia*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
BBWV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

### Acoraceae

Such as *Acorus*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

### Actinidiaceae

*Actinidia*, kiwi

Bacteria				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
<i>Pseudomonas syringae</i> pv. <i>actinidiae</i>	Culture method, incl. possible confirmation PCR	12	1-25 twigs	€ 209,50

NEW Dec. 2024

## Agapanthaceae

Such as *Agapanthus*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, EMDV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
NVX	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Aizoaceae

Such as *Aptenia*, *Delosperma*, *Lampranthus*, *Mesembryanthemum*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Alstroemeriaceae

Such as *Alstroemeria*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AICV (LSV), AIMV, CMV, INSV, IYSV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

## Amaranthaceae

Such as *Altherrnanthera*, *Celosia*, *Gomphrena*, *Iresine*

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
Potyvirus	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>		€ 5,70
AltMV, AMV, ArMV, CMV, INSV, TRV, TSV, TSWV	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90
Pospiviroids (CEVd, CLVd, CSVd, IrVd1, PCFVd, PoIVd, PSTVd, TASVd, TCDVd, TPMVd)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves		€ 9,60
			Max. 10 leaves		€ 18,00
			Max. 25 leaves		€ 49,30
Tobamovirus <i>Solanaceae</i> -group (AEaV, BPeMV, CPMMoV, ObPV, PaMMV, PMMoV, ReMV, ToBRFV, ToMMV, ToMV, TMGMV, TMV, TSAMV, YTMMV, YPMMoV)	PCR, incl. possible confirmation PCR	4	Max. 200 leaves		€ 90,00
			Max. 2 leaves		€ 11,20
			Max. 10 leaves		€ 19,70
			Max. 25 leaves		€ 51,00

NEW Jan. 2025

## Amaryllidaceae

*Allium cepa*, onion

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Xanthomonas axonopodis</i> pv. <i>allii</i>	SE-PCR	4	10,000 seeds	XAAQ100	€ 259,00

Fungi					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Botrytis aclada</i> and <i>Botrytis allii</i>	Culture method	16	400 seeds	BAA004	€ 366,00

Nematodes					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00

**Allium cepa, onion (Continued)**

**Nematodes (Continued)**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests:</b>					
<i>Aphelenchoides and Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor and Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Virus**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Arabis mosaic virus (ArMV)	PCR	4	3,000 seeds	ARMVQ030	€ 259,00
Onion yellow dwarf virus (OYDV)	ELISA	4	3,000 seeds	OYDVE030	€ 218,00
Tobacco rattle virus (TRV)	PCR	4	3,000 seeds	TRVQ030	€ 259,00
<b>NEW Jan. 2025</b> Tobacco ringspot virus (TRSV)	PCR	4	3,000 seeds	TRSVQ030	€ 259,00
Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TSVQ030	€ 259,00
<b>NEW Jan. 2025</b> Tomato ringspot virus (ToRSV)	PCR	4	3,000 seeds	TORSVQ030	€ 259,00
<b>NEW Aug. 2024</b> Tomato black ring virus/Beet ringspot virus (TBRV/BRSV)	PCR	4	3,000 seeds	TBRVQ030	€ 259,00
<b>Combination tests:</b>					
<b>NEW Jan. 2025</b> ArMV en TRSV	PCR	4	3,000 seeds	COMBIATQ030	€ 306,00
<b>NEW Jan. 2025</b> ArMV, TBRV/BRSV en TRSV	PCR	4	3,000 seeds	COMBIATTQ030	€ 356,00
<b>NEW Jan. 2025</b> TBRV/BRSV en ToRSV	PCR	2	3,000 seeds	COMBITBTOQ030	€ 306,00
<b>NEW Jan. 2025</b> ToRSV en TRSV	PCR	2	3,000 seeds	COMBITOTRQ030	€ 306,00

**Allium porrum, leek**

**Bacteria**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Pseudomonas syringae</i> pv. <i>porri</i>	Culture method, incl. possible confirmation PCR	14	5,000 seeds	PSPOA050	€ 289,00
<i>Xanthomonas axonopodis</i> pv. <i>allii</i>	SE-PCR	4	10,000 seeds	XAAQ100	€ 259,00

**Fungi**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Alternaria porri</i>	Culture method	12	200 seeds	APF002	€ 159,00



**Allium porrum, leek (Continued)**

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Allium sativum, garlic**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Xanthomonas axonopodis</i> pv. <i>allii</i>	SE-PCR	4	10,000 seeds	XAAQ100	€ 259,00

**Allium schoenoprasum, chives**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Pseudomonas syringae</i> pv. <i>porri</i>	Culture method, incl. possible confirmation PCR	14	5,000 seeds	PSPOA050	€ 289,00
<i>Xanthomonas axonopodis</i> pv. <i>allii</i>	SE-PCR	4	10,000 seeds	XAAQ100	€ 259,00



**Allium schoenoprasum, chives (Continued)**

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Apiaceae**

Such as *Astrantia*

<b>Virus</b>				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, ToRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

**Apium graveolens, celery**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Candidatus liberibacter solanacearum</i>	SE-PCR	4	10,000 seeds	CLSQ100	€ 259,00
			20,000 seeds	CLSQ200	€ 324,00
			30,000 seeds	CLSQ300	€ 324,00

**Apium graveolens, celery (Continued)**

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Phoma apiicola</i>	Culture method, incl. possible microscopic confirmation	45	1,000 seeds	PAF010	€ 386,00
<i>Septoria apiicola</i>	Culture method, incl. possible microscopic confirmation	9	200 seeds	SAF002	€ 159,00
			400 seeds	SAF004	€ 243,00
	Soaking	4	10,000 seeds	SAAF100	€ 97,00
			20,000 seeds	SAAF200	€ 194,00

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDD300	€ 65,00

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>NEW Jan. 2025</i> Arabis mosaic virus (ArMV)	PCR	4	3,000 seeds	ARMVQ030	€ 259,00
<i>NEW July 2024</i> Strawberry latent ringspot virus (SLRSV)	PCR	4	3,000 seeds	SLRSVQ030	€ 259,00
<i>NEW Jan. 2025</i> Tobacco rattle virus (TRV)	PCR	4	3,000 seeds	TRVQ030	€ 259,00
<i>NEW Jan. 2025</i> Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TSVQ030	€ 259,00



**Daucus carota, carrot**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Candidatus liberibacter solanacearum</i>	SE-PCR	4	10,000 seeds	CLSQ100	€ 259,00
			20,000 seeds	CLSQ200	€ 324,00
			30,000 seeds	CLSQ300	€ 324,00
<i>Xanthomonas hortorum</i> pv. <i>carotae</i>	Culture method, incl. possible confirmation PCR	17	10,000 seeds	XHCARA100	€ 333,00
			20,000 seeds	XHCARA200	€ 429,00

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Alternaria dauci</i>	Culture method	12	200 seeds	ALDF002	€ 159,00
<i>Alternaria radicina</i>	Culture method	12	200 seeds	ALRF002	€ 159,00
<i>Fusarium oxysporum</i>	Culture method, incl. possible microscopic confirmation	22	200 seeds	9-FOA002	€ 281,00
<i>Phoma</i> sp.	Culture method, incl. possible microscopic confirmation	18	200 seeds	9-PSF002	€ 176,00
<b>Combination tests:</b>					
<i>Alternaria dauci</i> and <i>Alternaria radicina</i>	Culture method	12	200 seeds	COMBIAAF002	€ 243,00
			400 seeds	COMBIAAF004	€ 323,00

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00



**Foeniculum vulgare, fennel**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Candidatus liberibacter solanacearum</i>	SE-PCR	4	10,000 seeds	CLSQ100	€ 259,00
			20,000 seeds	CLSQ200	€ 324,00
			30,000 seeds	CLSQ300	€ 324,00

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Petroselinum crispum, parsley**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Candidatus liberibacter solanacearum</i>	SE-PCR	4	10,000 seeds	CLSQ100	€ 259,00
			20,000 seeds	CLSQ200	€ 324,00
			30,000 seeds	CLSQ300	€ 324,00

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Septoria petroselini</i>	Culture method, incl. possible microscopic confirmation	9	200 seeds	SPF002	€ 159,00
			400 seeds	SPF004	€ 243,00
	Soaking	4	10,000 seeds	SPAF100	€ 97,00

**Petroselinum crispum, parsley (Continued)**

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Apocynaceae**

Such as *Catharanthus*, *Dipladenia*, *Mandevilla*, *Vinca*

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
<i>Xylella fastidiosa</i>	PCR	4	100 tot 200 leaves or twigs	XYLEFAQ000	€ 269,00
<i>Xylella fastidiosa</i> confirmation by NPPO	External				€ 183,00

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Fusarium oxysporum</i>	Culture method, incl. possible microscopic confirmation	10	Max. 6 stem parts	FOA000	€ 154,00

## Apocynaceae (Continued)

Such as *Catharanthus*, *Dipladenia*, *Mandevilla*, *Vinca*

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> (not for <i>Mandevilla</i> ), TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>		€ 5,70
NEW Jan. 2025 CatMV ( <i>Mandevilla</i> )	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90
Phytoplasma, for material without symptoms	PCR	4	Max. 5 stem parts, root parts or leaf vein		€ 48,90
Pospiviroids (CEVd, CLVd, CSVd, IrVd1, PCFVd, PolVd, PSTVd, TASVd, TCDVd, TPMVd)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves		€ 9,60
			Max. 10 leaves		€ 18,00
			Max. 25 leaves		€ 49,30
			Max. 200 leaves		€ 90,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Araceae

Such as *Anthurium* spp.

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Ralstonia solanacearum</i>	Culture method, incl. possible confirmation PCR	12	200 - 250 ml water	RSOLA	€ 89,00
	PCR, incl. possible culture method and confirmation PCR	10	1-10 stem parts	RSQ	€ 108,00
			11-200 stem parts	RSQ000	€ 144,00
<i>Ralstonia solanacearum</i> confirmation by NPPO	External				€ 183,00
<i>Xanthomonas axonopodis</i> pv. <i>dieffenbachiae</i> , <i>Anthurium</i>	PCR	4	Max. 5 leaves+petioles	XADIEQ	€ 71,50
			Max. 25 leaves+petioles	XADIEQ000	€ 107,00

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
Potyvirus	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>		€ 5,70
CMV, INSV, TSWV	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90

## Asclepiadaceae

Such as *Asclepias*

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70	

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Asparagaceae

*Asparagus officinalis*, asparagus

Fungi					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Pathogene <i>Fusarium</i> spp. for asparagus	Bio-assay	50	2,5 - 5 liter soil	FOAB000	€ 218,00
	Culture method, incl. possible microscopic confirmation and pathogenicity test	40	300 seeds	FOAA003	€ 540,00

## Nematodes

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

## Asteraceae

Such as *Argyranthemum*, *Aster*, *Calocephalus*, *Coreopsis*, *Echinacea*, *Gazania*, *Gerbera*, *Helianthus*, *Osteospermum*

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Rhodococcus fascians</i>	PCR	4	Max. 10 stem parts	RFASQ	€ 71,50
<b>Combination tests:</b>					
<i>Dickeya</i> spp. and <i>Pectobacterium</i> spp.	PCR	4	1-10 stem parts	COMBIDPQ	€ 87,50

NEW July 2024

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, BWYV, CMV, CSNV, CVB, INSV, Potyvirus <sup>1</sup> , TAV, TBRV, TMV-WU1, ToMV-DO3, ToRSV, TRSV, TRV, TSV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
CChMVd, CSVd, DMV/DCMV	PCR	4	Max. 25 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90
Pospiviroids (CEVd, CLVd, CSVd, IrVd1, PCFVd, PoIVd, PSTVd, TASVd, TCDVd, TPMVd)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 9,60
			Max. 10 leaves	€ 18,00
			Max. 25 leaves	€ 49,30
			Max. 200 leaves	€ 90,00
<i>Chrysanthemum</i> stem necrosis virus (CSNV) confirmation by NPPO	External			€ 183,00
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Dahlia

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Dickeya</i> spp. and <i>Pectobacterium</i> spp.	PCR	4	1-10 stem parts	COMBIDPQ	€ 87,50

NEW July 2024



**Dahlia (Continued)**

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
Potyvirus	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>		€ 5,70
AMV, CMV, DMV/DCMV, INSV, TSV, TSWV	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90
Pospiviroids (CEVd, CLVd, CSVd, IrVd1, PCFVd, PoVd, PSTVd, TASVd, TCDVd, TPMVd)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves		€ 9,60
			Max. 10 leaves		€ 18,00
			Max. 25 leaves		€ 49,30
			Max. 200 leaves		€ 90,00

**Helianthus annuus, sunflower**

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Sclerotinia sclerotiorum</i>	Culture method	11	200 seeds	SCSA002	€ 183,00

**Lactuca sativa, lettuce**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Pseudomonas cichorii</i>	SE-PCR	4	10,000 seeds	PCQ100	€ 259,00
<i>Xanthomonas hortorum</i> pv. <i>vitians</i>	SE-PCR	4	10,000 seeds	XHVQ100	€ 259,00

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Fusarium oxysporum</i>	Culture method, incl. possible microscopic confirmation	22	200 seeds	FOA002SL	€ 263,00
<i>Septoria</i> spp.	Soaking	4	10,000 seeds	SSAF100	€ 97,00
<i>Verticillium</i> sp.	Culture method	15	200 seeds	VSF002KS	€ 159,00

**Lactuca sativa, lettuce (Continued)**

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>NEW Jan. 2025</b> Alfalfa mosaic virus (AMV)	PCR	4	3,000 seeds	AMVQ030	€ 259,00
Arabis mosaic virus (ArMV)	PCR	4	3,000 seeds	ARMVQ030	€ 259,00
Lettuce mosaic virus (LMV)	ELISA, incl. possible confirmation PCR	4	10,000 seeds	LMVE100	€ 255,00
			30,000 seeds	LMVE300	€ 580,00
Lettuce mosaic virus (LMV) seedlings	ELISA, incl. possible confirmation PCR	10	2,000 seeds	LMVE020	€ 224,00
			10,000 seeds	LMVEZAAI100	€ 660,00
Tobacco rattle virus (TRV)	PCR	4	3,000 seeds	TRVQ030	€ 259,00
Tobacco ringspot virus (TRSV)	PCR	4	3,000 seeds	TRSVQ030	€ 259,00
Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TSVQ030	€ 259,00
Tomato black ring virus/Beet ringspot virus (TBRV/BRSV)	PCR	4	3,000 seeds	TBRVQ030	€ 259,00
Tomato ringspot virus (ToRSV)	PCR	4	3,000 seeds	TORSVQ030	€ 259,00
<b>Combination tests:</b>					
<b>2 viruses</b>					
ArMV and TBRV/BRSV	PCR	2	3,000 seeds	COMBITAQ030	€ 306,00
ArMV and TRSV	PCR	4	3,000 seeds	COMBIATQ030	€ 306,00
<b>NEW July 2024</b> TBRV/BRSV and TSV	PCR	4	3,000 seeds	COMBITOTBQ030	€ 306,00
TBRV/BRSV and ToRSV	PCR	2	3,000 seeds	COMBITBTOQ030	€ 306,00
ToRSV and TRSV	PCR	2	3,000 seeds	COMBITOTRQ030	€ 306,00
<b>3 viruses</b>					
ArMV, TBRV/BRSV and TRSV	PCR	4	3,000 seeds	COMBIATTQ030	€ 356,00



## Balsaminaceae

Such as *Impatiens*

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMGMV, TMV-WU1, ToMV-DO3, TRSV, TRV, TSV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>		€ 5,70
BaCV	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90
Tobacco ringspot virus (TRSV) confirmation by NPPO	External				€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Begoniaceae

Such as *Begonia*

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Ralstonia solanacearum</i>	Culture method, incl. possible confirmation PCR	12	200 - 250 ml water	RSOLA	€ 89,00
	PCR, incl. possible culture method and confirmation PCR	10	1-10 stem parts	RSQ	€ 108,00
			11-200 stem parts	RSQ000	€ 144,00
<i>Ralstonia solanacearum</i> confirmation by NPPO	External				€ 183,00
<i>Xanthomonas axonopodis</i> pv. <i>begoniae</i>	PCR	4	Max. 2 leaves	XABEGQ	€ 71,50
			Max. 20 leaves	XABEGQ000	€ 107,00

Fungi					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Fusarium foetens</i> , <i>Begonia</i>	Culture method, incl. possible confirmation PCR	12	Max. 5 stem parts	FFA000	€ 112,00

## Begoniaceae (Continued)

Such as *Begonia*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
BBWV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Berberidaceae

Such as *Epimedium*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Boraginaceae

Such as *Anchusa*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Brassicaceae

Such as *Arabis*, *Aubriëtia*, *Aurinia saxatalis*, *Erysimum*, *Iberis*, *Lobularia*, *Malcolmia*, *Nasturtium*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, ErLV, INSV, Potyvirus <sup>1</sup> , TBRV, TMV-WU1, ToMV-DO3, TRV, TSWV, TYMV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

**Brassica oleracea**, Such as White cabbage, cauliflower, broccoli, Brussels sprouts, savoy cabbage, kale, turnip and red cabbage

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Pseudomonas syringae</i> pv. <i>maculicola</i>	SE-PCR	4	10,000 seeds	PSMQ100	€ 259,00
	Culture method, incl. possible confirmation PCR	15	2,500 untreated seeds	PSMA025	€ 333,00
			7,500 untreated seeds	PSMA075	€ 333,00
			10,000 untreated seeds	PSMA100-4SUBS	€ 333,00
			10,000 treated seeds	PSMA100B	€ 416,00
<b>Combination tests:</b>					
<b>2 pathogens</b>					
<i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (untreated seeds)	SE-PCR	5	10,000 untreated seeds	COMBIXXQ100	€ 306,00
			30,000 untreated seeds	COMBIXXQ300	€ 371,00
			50,000 untreated seeds	COMBIXXQ500	€ 660,00
<i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (untreated seeds)	Culture method, incl. possible confirmation PCR and pathogenicity test	32	10,000 untreated seeds	XXAS100	€ 306,00
			30,000 untreated seeds	XXAS300	€ 404,00
			50,000 untreated seeds	XXAS500	€ 750,00
<i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (seeds treated with warm water)	Culture method, incl. possible confirmation PCR and pathogenicity test	32	10,000 treated seeds	XXAS100B	€ 404,00
			30,000 treated seeds	XXAS300B	€ 500,00
			50,000 treated seeds	XXAS500B	€ 830,00
			100,000 treated seeds	XXAS1000B	€ 1.530,00

**Brassica oleracea**, Such as White cabbage, cauliflower, broccoli, Brussels sprouts, savoy cabbage, kale, turnip and red cabbage (Continued)

<b>Bacteria (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests:</b>					
<b>3 pathogens</b>					
<i>Pseudomonas syringae</i> pv. <i>maculicola</i> , <i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (untreated seeds)	SE-PCR	5	10,000 untreated seeds	COMBIXXPQ100	€ 420,00
<i>Pseudomonas syringae</i> pv. <i>maculicola</i> , <i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (seeds treated with warm water)	Culture method, incl. possible confirmation PCR and pathogenicity test	32	10,000 treated seeds	COMBIXXPAS100B	€ 570,00

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Alternaria japonica</i>	Culture method	11	200 seeds	AJA002	€ 183,00
<i>Phoma lingam</i>	Culture method	26	400 seeds	PLF004	€ 243,00
			1,000 seeds	PLF010	€ 386,00
			3,000 seeds	PLF030	€ 680,00
<i>Plasmodiophora brassicae</i>	Bio-assay	44	100 seeds	PLBKB001	€ 218,00
			2,5 liter soil	PLBKB000	€ 218,00
<i>Verticillium</i> sp.	Culture method	15	200 seeds	VSF002KS	€ 159,00
<b>Combination tests:</b>					
<i>Alternaria brassicae</i> and <i>Alternaria brassicicola</i>	Culture method, incl. possible microscopic confirmation	12	200 seeds	COMBIABBA002	€ 265,00

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00

**Brassica oleracea**, Such as White cabbage, cauliflower, broccoli, Brussels sprouts, savoy cabbage, kale, turnip and red cabbage (Continued)

<b>Nematodes (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Raphanus sativus subsp. sativus**, radish

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Pseudomonas syringae</i> pv. <i>maculicola</i>	SE-PCR	4	10,000 seeds	PSMQ100	€ 259,00
	Culture method, incl. possible confirmation PCR	15	2,500 untreated seeds	PSMA025	€ 333,00
			7,500 untreated seeds	PSMA075	€ 333,00
			10,000 untreated seeds	PSMA100-4SUBS	€ 333,00
			10,000 treated seeds	PSMA100B	€ 416,00
<b>Combination tests:</b>					
<b>2 pathogens</b>					
<i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (untreated seeds)	SE-PCR	5	10,000 untreated seeds	COMBIXXQ100	€ 306,00
			30,000 untreated seeds	COMBIXXQ300	€ 371,00
			50,000 untreated seeds	COMBIXXQ500	€ 660,00
<i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (untreated seeds)	Culture method, incl. possible confirmation PCR and pathogenicity test	32	10,000 untreated seeds	XXAS100	€ 306,00
			30,000 untreated seeds	XXAS300	€ 404,00
			50,000 untreated seeds	XXAS500	€ 750,00
<i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (seeds treated with warm water)	Culture method, incl. possible confirmation PCR and pathogenicity test	32	10,000 treated seeds	XXAS100B	€ 404,00
			30,000 treated seeds	XXAS300B	€ 500,00
			50,000 treated seeds	XXAS500B	€ 830,00
			100,000 treated seeds	XXAS1000B	€ 1.530,00
<b>3 pathogens</b>					
<i>Pseudomonas syringae</i> pv. <i>maculicola</i> , <i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (untreated seeds)	SE-PCR	5	10,000 untreated seeds	COMBIXXPQ100	€ 420,00
<i>Pseudomonas syringae</i> pv. <i>maculicola</i> , <i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>raphani</i> (seeds treated with warm water)	Culture method, incl. possible confirmation PCR and pathogenicity test	32	10,000 treated seeds	COMBIXXPAS100B	€ 570,00

**Raphanus sativus subsp. sativus, radish (Continued)**

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Alternaria japonica</i>	Culture method	11	200 seeds	AJA002	€ 183,00
<i>Phoma lingam</i>	Culture method	26	400 seeds	PLF004	€ 243,00
			1,000 seeds	PLF010	€ 386,00
			3,000 seeds	PLF030	€ 680,00
<i>Plasmodiophora brassicae</i>	Bio-assay	44	100 seeds	PLBKB001	€ 218,00
		44	2,5 liter soil	PLBKB000	€ 218,00
<i>Verticillium sp.</i>	Culture method	15	200 seeds	VSF002KS	€ 159,00

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides spp.</i>	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus spp.</i>	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Buxaceae**

Such as *Pachysandra*

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70	

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.





## Campanulaceae

Such as *Campanula*, *Isotoma*, *Laurentia*, *Lobelia*, *Monopsis*, *Platycodon*

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Xanthomonas campestris</i> pv. <i>lobeliae</i>					Upon request

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, CMV, CVB, INSV, Potyvirus <sup>1</sup> , TBRV, TMV-WU1, ToMV-DO3, ToRSV, TRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>		€ 5,70
Tobacco ringspot virus (TRSV) confirmation by NPPO	External				€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External				€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Cannabaceae

*Cannabis sativa*

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, HLVd, ToRSV <sup>1</sup> , TRSV <sup>1</sup> , TSV	PCR	4	Max. 2 leaves	-	€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90
Alfalfa mosaic virus (AMV)	PCR	4	3,000 seeds	AMVQ030	€ 259,00
NEW Jan. 2025 Arabis mosaic virus (ArMV)	PCR	4	3,000 seeds	ARMVQ030	€ 259,00
NEW Jan. 2025 Tobacco rattle virus (TRV)	PCR	4	3,000 seeds	TRVQ030	€ 259,00
NEW Jan. 2025 Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TSVQ030	€ 259,00
Tobacco ringspot virus (TRSV) confirmation by NPPO	External				€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External				€ 183,00

<sup>1</sup> ToRSV and TRSV can also be tested on up to 10 stem parts. More information about sample size and rates can be found on page 18.

## Caprifoliaceae

Such as *Knautia macedonica*, *Scabiosa*

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70	

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Valerianella locusta, corn salad

Fungi					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Peronospora valerianellae</i>	Bio-assay	23	400 seeds	PVB004	€ 168,00
			1,200 seeds	PVB012	€ 406,00
<i>Phoma valerianella</i>	Culture method, incl. possible microscopic confirmation	4	1,000 seeds	PVAF010	€ 97,00
		37	200 seeds	PVF002	€ 159,00

Nematodes					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDD300	€ 65,00

## Caryophyllaceae

Such as *Arenaria*, *Dianthus*, *Gypsophila*, *Saponaria*, *Silene*

Fungi					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Fusarium oxysporum</i>	Culture method, incl. possible microscopic confirmation	10	1-6 stemparts	FOA	€ 97,50
			7-50 stemparts	FOA000	€ 154,00

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CarMV, CERV, CNFV, CLV, CMV, CRSV, CVMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Chenopodiaceae

*Beta vulgaris*, beet

Fungi					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Heterodera schachtii</i>	External		100 gram seeds	Tested at NPPO	€ 381,00
<i>Phoma betae</i>	Culture method, incl. possible microscopic confirmation	9	200 seeds	PBA002	€ 183,00
			400 seeds	PBA004	€ 366,00

Nematodes					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Beta vulgaris, beet (Continued)**

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Arabis mosaic virus (ArMV)	PCR	4	3,000 seeds	ARMVQ030	€ 259,00
Tobacco rattle virus (TRV)	PCR	4	3,000 seeds	TRVQ030	€ 259,00
Tobacco ringspot virus (TRSV)	PCR	4	3,000 seeds	TRSVQ030	€ 259,00
Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TSVQ030	€ 259,00
Tomato black ring virus/Beet ringspot virus (TBRV/BRSV)	PCR	4	3,000 seeds	TBRVQ030	€ 259,00
Tomato ringspot virus (ToRSV)	PCR	4	3,000 seeds	TORSVQ030	€ 259,00
<b>Combination tests:</b>					
ArMV and TBRV/BRSV	PCR	4	3,000 seeds	COMBITAQ030	€ 306,00
TBRV/BRSV and TSV	PCR	4	3,000 seeds	COMBITOTBQ030	€ 306,00
ToRSV and TRSV	PCR	4	3,000 seeds	COMBITOTRQ030	€ 306,00

NEW July 2024

**Spinacia oleracea, spinach**

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Cladosporium variabile</i>	Culture method, incl. possible microscopic confirmation	15	200 seeds	CVF002	€ 159,00
<i>Colletotrichum dematium</i>	Culture method, incl. possible microscopic confirmation	15	200 seeds	CDF002	€ 159,00
<i>Fusarium oxysporum</i> f.sp. <i>spinaciae</i>	Culture method, incl. possible confirmation PCR	11	400 seeds	FOSPA004	€ 439,00
<i>Peronospora farinosa</i>	Soaking	3	1,000 seeds	PFAF010	€ 97,00
<i>Phomopsis</i> spp.	Visual determination	3	30,000 seeds	PSV300	€ 65,00
<i>Stemphyllium botryosum</i>	Culture method	15	200 seeds	SBF002	€ 159,00
<i>Verticillium dahliae</i>	Culture method	15	200 seeds	VDA002	€ 183,00
<i>Verticillium</i> spp.	Culture method	15	200 seeds	VSF002	€ 159,00
<b>Combination tests:</b>					
<b>2 pathogens</b>					
<i>Cladosporium variabile</i> and <i>Stemphyllium botryosum</i>	Culture method, incl. possible microscopic confirmation	15	200 seeds	COMBISCF002	€ 243,00
<i>Stemphyllium botryosum</i> and <i>Verticillium</i> spp.	Culture method	15	200 seeds	COMBIVS	€ 243,00
<b>3 pathogens</b>					
<i>Cladosporium variabile</i> , <i>Stemphyllium botryosum</i> and <i>Verticillium</i> spp.	Culture method, incl. possible microscopic confirmation	15	200 seeds	COMBIVCS	€ 323,00

**Spinacia oleracea, spinach (Continued)**

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Cucumber mosaic virus (CMV)	ELISA	4	2,000 seeds	CMVE020SP	€ 380,00
Sowbane mosaic virus (SoMV)	PCR	4	3,000 seeds	SOMVQ030	€ 259,00
Spinach latent virus (SpLV)	PCR	4	3,000 seeds	SPLVQ030	€ 259,00

**Cistaceae**

Such as *Helianthemum*

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70	

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Cleomaceae

Such as *Cleome*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, TNV1, TNV2, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
BBWV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Commelinaceae

Such as *Tradescantia*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, ToRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Convolvulaceae

Such as *Convolvulus*, *Ipomoea*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Crassulaceae

Such as *Chiastophyllum*, *Kalanchoë* spp., *Sedum*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, CMV, INSV, KLV, KMV, Potyvirus <sup>1</sup> , SYNV, TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Cucurbitaceae

Such as cucumber, luffa, melon, pickle, pumpkin, squash, watermelon

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Acidovorax citrulli</i> - grow out (performed with treated seeds)	Bio-assay, incl. possible confirmation PCR and pathogenicity test	30	10,000 seeds	ACB100	€ 660,00
			30,000 seeds	ACB300	€ 1.760,00
<i>Acidovorax citrulli</i> - grow out (with additional costs for treatment by Naktuinbouw)	Bio-assay, incl. possible confirmation PCR and pathogenicity test	30	10,000 seeds	ACB100+O	€ 760,00
			20,000 seeds	ACB200+O	€ 1.860,00
			30,000 seeds	ACB300+O	€ 1.860,00
<i>Acidovorax citrulli</i> (untreated seeds only) If positive a grow out is recommended to confirm	SE-PCR	5	10,000 seeds	ACQ100	€ 324,00
			20,000 seeds	ACQ200	€ 650,00
			30,000 seeds	ACQ300	€ 650,00
			40,000 seeds	ACQ400	€ 1.140,00
			50,000 seeds	ACQ500	€ 1.140,00
			60,000 seeds	ACQ600	€ 1.140,00
<i>Pseudomonas syringae</i> pv. <i>lachrymans</i>	SE-PCR	5	10,000 seeds	PSLQ100	€ 324,00
<i>Xanthomonas cucurbitae</i>	SE-PCR	5	10,000 seeds	XCQ100	€ 324,00
<b>Combination tests:</b>					
<b>2 pathogens</b>					
<i>Acidovorax citrulli</i> and <i>Pseudomonas syringae</i> pv. <i>lachrymans</i>	SE-PCR	5	10,000 seeds	COMBIAPQ100	€ 371,00
<i>Acidovorax citrulli</i> and <i>Xanthomonas cucurbitae</i>	SE-PCR	5	10,000 seeds	COMBIAXQ100	€ 371,00
<i>Pseudomonas syringae</i> pv. <i>lachrymans</i> and <i>Xanthomonas cucurbitae</i>	SE-PCR	5	10,000 seeds	COMBIPXQ100	€ 371,00
<b>3 pathogens</b>					
<i>Acidovorax citrulli</i> , <i>Pseudomonas syringae</i> pv. <i>lachrymans</i> and <i>Xanthomonas cucurbitae</i>	SE-PCR	5	10,000 seeds	COMBIAPXQ100	€ 420,00

Such as cucumber, luffa, melon, pickle, pumpkin, squash, watermelon (Continued)

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Alternaria cucumerina</i>	Culture method	9	200 seeds	9-ACA002	€ 201,00
<i>Cladosporium cucumerinum</i>	Culture method, incl. possible microscopic confirmation	15	200 seeds	CCF002	€ 166,00
<i>Colletotrichum orbiculare</i>	Culture method, incl. possible microscopic confirmation	15	200 seeds	COF002	€ 159,00
<i>Fusarium oxysporum</i> and <i>Fusarium solani</i>	Culture method, incl. possible microscopic confirmation	22	200 seeds	FOSA002	€ 224,00
<i>Verticillium dahliae</i>	Culture method	15	200 seeds	VDA002	€ 183,00

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>NEW Jan. 2025</b> Alfalfa mosaic virus (AMV)	PCR	4	3,000 seeds	AMVQ030	€ 259,00
<b>NEW Jan. 2025</b> Arabis mosaic virus (ArMV)	ELISA	4	2,000 seeds	ARMVE020	€ 380,00
	PCR	4	3,000 seeds	ARMVQ030	€ 259,00
Cucumber green mottle mosaic virus (CGMMV)	Bio-assay	19	2,000 seeds	CGMMVB020	€ 438,00
	ELISA	4	2,000 seeds	CGMMVE020	€ 380,00
			9,400 seeds	CGMMVE100	€ 1.900,00
Cucumber leaf spot virus (CLSV)	ELISA	4	1,000 seeds	CLSVE010	€ 380,00
Cucumber mosaic virus (CMV)	ELISA	4	2,000 seeds	CMVE020	€ 380,00
Kyuri green mottle mosaic virus (KGMMV)	ELISA	4	2,000 seeds	KGMMVE20	€ 380,00
			9,400 seeds	KGMMVE100	€ 1.900,00
Melon necrotic spot virus (MNSV)	ELISA	4	2,000 seeds	MNSVE020	€ 380,00
			9,400 seeds	MNSVE100	€ 1.900,00



Such as cucumber, luffa, melon, pickle, pumpkin, squash, watermelon (Continued)

<b>Virus (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Squash mosaic virus (SqMV)	ELISA	4	2,000 seeds	SQMVE020	€ 380,00
<i>NEW Jan. 2025</i> Tobacco rattle virus (TRV)	PCR	4	3,000 seeds	TRVQ030	€ 259,00
<i>NEW Jan. 2025</i> Tobacco ringspot virus (TRSV)	PCR	4	3,000 seeds	TRSVQ030	€ 259,00
<i>NEW Jan. 2025</i> Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TSVQ030	€ 259,00
<i>NEW Jan. 2025</i> Tomato ringspot virus (ToRSV)	PCR	4	3,000 seeds	TORSVQ030	€ 259,00
Zucchini green mottle mosaic virus (ZGMMV)	ELISA	4	2,000 seeds	ZGMMVE020	€ 380,00
			4.600 seeds	ZGMMVE046	€ 600,00
Zucchini yellow mosaic virus (ZYMV)	ELISA	4	2,000 seeds	ZYMVE020	€ 380,00
<b>Combination tests:</b>					
<i>NEW Jan. 2025</i> ArMV and TRSV	PCR	4	3,000 seeds	COMBIATQ030	€ 306,00
<i>NEW Jan. 2025</i> ToRSV and TRSV	PCR	4	3,000 seeds	COMBITOTRQ030	€ 306,00
<b>ArMV, CGMMV, CMV, KGMMV, MNSV, SqMV, ZGMMV, ZYMV</b>					
2 viruses:	ELISA	4	2,000 seeds		€ 494,00
			4,000 seeds		€ 890,00
			9,400 seeds		€ 2.010,00
3 viruses:	ELISA	4	2,000 seeds		€ 610,00
			4,000 seeds		€ 990,00
			9,400 seeds		€ 2.140,00
4 viruses:	ELISA	4	2,000 seeds		€ 710,00
			9,400 seeds		€ 2.240,00
5 viruses	ELISA	4	2,000 seeds		€ 830,00
			9,400 seeds		€ 2.350,00
6 viruses	ELISA	4	2,000 seeds		€ 940,00

## Euphorbiaceae

Such as *Acalypha*, *Chamaesyce*, *Euphorbia*, *Euphorbia fulgens*, *Euphorbia pulcherrima*

<b>Virus</b>				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, PnMV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Fabaceae

Such as *Alfalfa*, *Cassia*, *Crotalaria*, *Erythrina*, *Lotus*, *Lupinus*

Fungi					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Colletotrichum</i> spp. for <i>Lupine</i> , <i>Armeria</i> etc.	Culture method, incl. possible microscopic confirmation	9	200 seeds	CSF002	€ 159,00

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	-	€ 5,70
Alfalfa mosaic virus (AMV)	PCR	4	3,000 seeds	AMVQ030	€ 259,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Phaseolus, bean

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i>	Culture method, incl. possible confirmation PCR	15	5,000 seeds	CFFA050	€ 355,00
<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> confirmation by NPPO	External				€ 183,00
<i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i>	Culture method, incl. possible confirmation PCR	12	5,000 seeds	PSPA050	€ 306,00
<i>Pseudomonas syringae</i> pv. <i>syringae</i>	Culture method, incl. possible confirmation PCR	14	5,000 seeds	PSSA050	€ 306,00
<i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> and <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i>	Culture method, incl. possible confirmation PCR	15	5,000 seeds	XAXFA050	€ 306,00

**Phaseolus, bean (Continued)**

<b>Bacteria (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests:</b>					
<b>2 pathogens</b>					
<i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i> and <i>Pseudomonas syringae</i> pv. <i>syringae</i>	Culture method, incl. possible confirmation PCR	14	5,000 seeds	COMBIPPA050	€ 540,00
<b>3 pathogens</b>					
<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> , <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> and <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i>	Culture method, incl. possible confirmation PCR	14	5,000 seeds	COMBIXCA050	€ 570,00
<i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i> , <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> and <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i>	Culture method, incl. possible confirmation PCR	14	5,000 seeds	COMBIXPA050	€ 540,00
<b>4 pathogens</b>					
<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> , <i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i> , <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> and <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i>	Culture method, incl. possible confirmation PCR	15	5,000 seeds	COMBIXPCA050	€ 830,00
<i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i> , <i>Pseudomonas syringae</i> pv. <i>syringae</i> , <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> and <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i>	Culture method, incl. possible confirmation PCR	14	5,000 seeds	COMBIXPPA050	€ 780,00
<b>5 pathogens</b>					
<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> , <i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i> , <i>Pseudomonas syringae</i> pv. <i>syringae</i> , <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> and <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i>	Culture method, incl. possible confirmation PCR	14	5,000 seeds	COMBIXPPCA050	€ 1.060,00
<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Colletotrichum lindemuthianum</i>	Culture method, incl. possible microscopic confirmation	9	200 seeds	CLF002	€ 159,00

NEW Dec. 2024



**Phaseolus, bean (Continued)**

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	500 gram seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	500 gram seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	500 gram seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	500 gram seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	500 gram seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	500 gram seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	500 gram seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	500 gram seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	500 gram seeds	COMBIDDD300	€ 65,00

**Phaseolus vulgaris, common bean**

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Bean common mosaic virus (BCMV)	ELISA	12	400 seeds	BCMVE004	€ 540,00

**Pisum sativum, pea**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Pseudomonas syringae</i> pv. <i>pisii</i>	Culture method, incl. possible confirmation PCR	22	5,000 seeds	PSPIA050	€ 333,00

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Ascochyta</i> spp.	Culture method, incl. possible microscopic confirmation	11	200 seeds	ASSA002	€ 183,00
			400 seeds	ASSA004	€ 366,00

**Pisum sativum, pea (Continued)**

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	500 gram seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	500 gram seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	500 gram seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	500 gram seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	500 gram seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	500 gram seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	500 gram seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	500 gram seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	500 gram seeds	COMBIDDD300	€ 65,00

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Pea early browning virus (PEBV)	ELISA	4	2,000 seeds	PEBVE020	€ 380,00
Pea seed-borne mosaic virus (PSBMV)	ELISA	4	2,000 seeds	PSBMVE020	€ 380,00
<b>Combination tests:</b>					
Combitoets PEBV and PSBMV	ELISA	4	2,000 seeds	COMBIPPE020	€ 494,00

**Vicia faba, broadbean**

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Ascochyta</i> spp.	Culture method, incl. possible microscopic confirmation	11	200 seeds	ASSA002	€ 183,00

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	500 gram seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	500 gram seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	500 gram seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	500 gram seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	500 gram seeds	DITYM300	€ 65,00

**Vicia faba, broadbean (Continued)**

<b>Nematodes (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Ditylenchus destructor</i>	Mist method	5	500 gram seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	500 gram seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	500 gram seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	500 gram seeds	COMBIDDD300	€ 65,00

**Gentianaceae**

Such as *Eustoma*, *Gentiana*, *Lisianthus*

<b>Virus</b>				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, IYSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
BBWV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.



## Geraniaceae

Such as *Erodium*, *Geranium* spp., *Pelargonium grandiflorum*, *Pelargonium peltatum*, *Pelargonium* spp., *Pelargonium zonale*

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Ralstonia solanacearum</i>	Culture method, incl. possible confirmation PCR	12	200 - 250 ml water	RSOLA	€ 89,00
	PCR, incl. possible culture method and confirmation PCR	10	1-10 stem parts	RSQ	€ 108,00
			11-200 stem parts	RSQ000	€ 144,00
<i>Ralstonia solanacearum</i> confirmation by NPPO	External				€ 183,00
<i>Xanthomonas hortorum</i> pv. <i>pelargonii</i>	PCR, incl. possible culture method and confirmation PCR	10	1-10 stem parts	XHPQ	€ 108,00
			11-200 stem parts	XHPQ000	€ 125,00
<i>Xylella fastidiosa</i>	PCR	4	100 to 200 leaves or twigs	XYLEFAQ000	€ 269,00
<i>Xylella fastidiosa</i> confirmation by NPPO	External				€ 183,00
<b>Combination tests:</b>					
<i>Ralstonia solanacearum</i> and <i>Xanthomonas hortorum</i> pv. <i>pelargonii</i>	PCR, incl. possible culture method and confirmation PCR	10	1-10 stem parts	COMBIRXQ	€ 160,00
			11-200 stem parts	COMBIRXQ000	€ 196,00

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Verticillium</i> species	Culture method	15	5 stem parts	VSA000	€ 89,00

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
Potyvirus	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>		€ 5,70
AltMV, AMV, ArMV, CMV, INSV, PFBV, PLPV, TBRV, TBSV, ToRSV, TRSV, TRV, TSWV	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90
NEW Jan. 2025 Tobamovirus <i>Solanaceae</i> -group (AEaV, BPeMV, CPMMoV, ObPV, PaMMV, PMMoV, ReMV, ToBRFV, ToMMV, ToMV, TMGMV, TMV, TSAMV, YTMMV, YPMMoV)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves		€ 11,20
			Max. 10 leaves		€ 19,70
			Max. 25 leaves		€ 51,00
NEW Apr. 2025 Tombusvirus (AMCV, CBLV, CIRV, CNV, CymRSV, EMCV, GALV, HRV, LFDV1, LRV2, MPV, NRV, PAMV, PLCV, PNSV, SQBV, TBSV)	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90
Tobacco ringspot virus (TRSV) confirmation by NPPO	External				€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External				€ 183,00

## Gesneriaceae

Such as *Achimenes*, *Aeschynanthus*, *Streptocarpus*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , SFBV, TBRV, TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Globulariaceae

Such as *Globularia*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Goodeniaceae

Such as *Goodenia*, *Scaevola*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> (not for <i>Scaevola</i> ), TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Potyvirus (only for <i>Scaevola</i> )	PCR	4	Max. 25 leaves	€ 78,50
VeLV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.



## Hemerocallidaceae

Such as *Hemerocallis*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Hostaceae

Such as *Hosta*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, HVX, INSV, Potyvirus <sup>1</sup> , ToRSV, TRSV, TRV, TSV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Hydrangeaceae

Such as *Hydrangea*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, EMVD, HdRSV, INSV, Potyvirus <sup>1</sup> , TNV1, TNV2, ToRSV, TRV, TRSV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Iridaceae

Such as *Freesia*, *Iris* (rhizoom), *Sisyrinchium*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
Potyvirus	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
ArMV, BBWV, BYMV, CMV, INSV, ToRSV, TRSV, TRV, TSWV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00
<i>Freesia</i> virusses FreMV, FreSV, BYMV and FreV1	PCR	4	Max. 2 leaves	€ 9,20
			Max. 50 leaves	€ 22,50

## Lamiaceae

Such as *Agastache*, *Ajuga*, *Lavandula*, *Mentha*, *Nepeta*, *Perovskia*, *Plectranthus*, *Rosmarinus*, *Salvia*, *Thymus*

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Xylella fastidiosa</i>	PCR	4	100 tot 200 leaves or twigs	XYLEFAQ000	€ 269,00
<i>Xylella fastidiosa</i> confirmation by NPPO	External				€ 183,00

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TBRV, TMV-WU1, ToMV-DO3, TRSV, TRV, TSV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
BBWV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

### Ocimum basilicum, basil

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Fusarium oxysporum</i>	Culture method, incl. possible microscopic confirmation	22	200 seeds	FOA002BA	€ 183,00

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

### Liliaceae

Such as *Convallaria*

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70	

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

### Lythraceae

Such as *Cuphea*, *Lythrum*

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70	

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Malvaceae

Such as *Abutilon*, *Alyogyne*, *Anisodonthea*, *Hibiscus*, *Lavatera*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Melastomataceae

Such as *Centradenia*, *Heterocentron*, *Tibouchina*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Nolanaceae

Such as *Nolana*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Nyctaginaceae

Such as *Bougainvillea*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Oleaceae

Such as *Jasminum*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Onagraceae

Such as *Fuchsia*, *Gaura*, *Oenothera*, *Zauschneria*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Orchidaceae

Such as *Cymbidium*, *Dendrobium*, *Phalaenopsis*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
CarMV, CMV, CymMV, INSV, ORSV, Potyvirus <sup>1</sup> , TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
CymMV, INSV, OFV, ORSV, ToRSV <sup>2</sup>	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

<sup>2</sup> ToRSV can also be tested on up to 10 stem parts. More information about sample size and rates can be found on page 18.

## Oxalidaceae

Such as *Oxalis*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> (not for Oxalis), TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Potyvirus (only for Oxalis)	PCR	4	Max. 25 leaves	€ 78,50

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Paeoniaceae

Such as *Paeonia*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
SLRSV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Papaveraceae

Such as *Dicentra*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TorSV, TRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Passifloraceae

Such as *Passiflora*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm2	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Plumbaginaceae

Such as *Ceratostigma*, *Festuca*, *Hakonechloa*, *Limonium*, *Lolium*, *Miscanthus*, *Plumbago*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, ToRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm2	€ 5,70
BBWV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Polemoniaceae

Such as *Phlox*, *Polemonium*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, AnFBV (AFMoV), ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TAV, TBRV, TBSV, TMV-WU1, TNV1, TNV2, ToMV-DO3, ToRSV, TRSV, TRV, TSV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm2	€ 5,70
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Polygonaceae

Such as *Muehlenbeckia*, *Persicaria*, *Polygonum*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TBRV, TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Portulacaceae

Such as *Portulaca*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, BWYV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, ToRSV, TRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Pospiviroiden (CEVd, CLVd, CSVd, IrVd1, PCFVd, PolVd, PSTVd, TASVd, TCDVd, TPMVd)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 9,60
			Max. 10 leaves	€ 18,00
			Max. 25 leaves	€ 49,30
			Max. 200 leaves	€ 90,00
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Primulaceae

Such as *Anagalis*, *Lysimachia*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.



## Ranunculaceae

Such as *Aconitum*, *Actaea*, *Anemone*, *Aquilegia*, *Clematis*, *Delphinium*, *Helleborus*, *Pulsatilla*, *Thalictrum*, *Trollius*

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, TNV1, TNV2, ToMV-DO3, ToRSV, TRSV, TRV, TSV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>		€ 5,70
BBWV	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90
HEMV and HeNNV	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90
Tobacco ringspot virus (TRSV) confirmation by NPPO	External				€ 183,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External				€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Rosaceae

Such as *Crataegus*, *Fragaria*, *Malus*, *Prunus*, *Pyrus*, *Rosa*, *Rubus*

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Agrobacterium tumefaciens</i>	Culture method, incl. possible confirmation PCR	7	200 - 250 ml water	ATUMP	€ 159,00
	PCR	4	Max. 5 stem parts	ATUMQ	€ 71,50
<i>Ralstonia solanacearum</i>	Culture method, incl. possible confirmation PCR	12	0,5 liter water	RSOLA	€ 89,00
	PCR, incl. possible culture method and confirmation PCR	10	1-10 stem parts	RSQ	€ 108,00
			11-200 stem parts	RSQ000	€ 144,00
<i>Ralstonia solanacearum</i> confirmation by NPPO	External				€ 183,00

Fungi					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Verticillium</i> species	Culture method	15	5 stem parts	VSA000	€ 89,00

## Rosaceae (Continued)

Such as *Crataegus*, *Fragaria*, *Malus*, *Prunus*, *Pyrus*, *Rosa*, *Rubus*

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate per virus (ex. base rate page 6)
Apple proliferation phytoplasma group	PCR	4	Malus and Prunus: Max. 12 twigs or root parts Pyrus: Max. 12 root parts		€ 48,90
PNRSV	PCR	4	Max. 2 leaves		€ 9,20
			Max. 10 leaves		€ 17,70
			Max. 25 leaves		€ 48,90

## *Fragaria x ananassa*, strawberry

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Agrobacterium tumefaciens</i>	Culture method, incl. possible confirmation PCR	7	200 - 250 ml water	ATUMP	€ 159,00
	PCR	4	Max. 5 stem parts	ATUMQ	€ 71,50
<i>Erwinia pyrifoliae</i>	PCR	4	Max. 30 leaves	EPQ000	€ 189,00
<i>Ralstonia solanacearum</i>	Culture method, incl. possible confirmation PCR	12	200 - 250 ml water	RSOLA	€ 89,00
	PCR, incl. possible culture method and confirmation PCR	10	1-10 stem parts	RSQ	€ 108,00
			11-200 stem parts	RSQ000	€ 144,00
<i>Ralstonia solanacearum</i> confirmation by NPPO	External				€ 183,00
<i>Xanthomonas fragariae</i>	PCR	4	Max. 30 leaves with petiole and leaf base	XFRAQ000	€ 189,00
<b>Combination tests:</b>					
<i>Erwinia pyrifoliae</i> and <i>Xanthomonas fragariae</i>	PCR	4	Max. 30 leaves	COMBIXEQ000	€ 204,00

**Fragaria x ananassa, strawberry (Continued)**

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
NEW Oct. 2024 NEW Oct. 2024 <i>Colletotrichum acutatum</i>	Culture method, incl. possible microscopic confirmation	15	200 seeds	CAF002	€ 159,00
	PCR	4	1-10 petioles with leaf base	CAQ	€ 188,00
<i>Neopestalotiopsis</i> spp.	PCR	4	1-10 petioles with leaf base	NSQ	€ 188,00
<i>Phytophthora fragariae</i>	PCR	4	Max. 150 gram roots	PFQ000	€ 107,00
<i>Verticillium</i> species	Culture method	15	5 stem parts	VSA000	€ 89,00
<b>Combination tests:</b>					
NEW July 2024 NEW Sept. 2024 <i>Phytophthora ramorum</i> and <i>Phytophthora kernoviae</i>	PCR	4	Max. 20 leaves	COMBIPRKQ000	€ 87,50
<i>Verticillium dahliae</i> and <i>Verticillium albo-atrum</i>	PCR	4	1-10 petioles with leaf base	COMBIVVQ	€ 203,00
<i>Neopestalotiopsis</i> and <i>Phytophthora cactorum</i>	PCR	4	1-10 petioles with leaf base	COMBINPQ	€ 204,00
NEW July 2024 <i>Colletotrichum acutatum</i> , <i>Neopestalotiopsis</i> and <i>Phytophthora cactorum</i>	PCR	4	1-10 petioles with leaf base	COMBICNPQ	€ 220,00
NEW July 2024 <i>Colletotrichum acutatum</i> , <i>Neopestalotiopsis</i> spp., <i>Phytophthora cactorum</i> , <i>Verticillium albo-atrum</i> s.l. and <i>Verticillium dahliae</i>	PCR	4	1-10 petioles with leaf base	COMBICNPVVQ	€ 256,00

<b>Nematodes</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
ArMV, PNRSV, RpRSV	PCR	4	Max. 2 leaves	€ 9,20	
			Max. 10 leaves	€ 17,70	
			Max. 25 leaves	€ 48,90	
SCV, SMoV, SMYEV, SVBV	PCR	4	Max. 2 leaves	€ 9,20	
			Max. 10 leaves	€ 17,70	



**Rubus**

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Phytophthora rubi</i>	PCR	4	Max. 150 gram roots	PRUQ000	€ 107,00

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
BRNV, RBDV, RLMV, RVCV, RYNV	PCR	4	Max. 2 leaves	€ 9,20	
			Max. 10 leaves	€ 17,70	
			Max. 25 leaves	€ 48,90	

**Rubiaceae**

Such as *Bouvardia hybr.*, *Galium*, *Manettia*, *Pentas*

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
Potyvirus	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70	
AMV, ArMV, BWYV, CMV, INSV, ToRSV, TRSV, TRV, TSWV	PCR	4	Max. 2 leaves	€ 9,20	
			Max. 10 leaves	€ 17,70	
			Max. 25 leaves	€ 48,90	
NEW Jan. 2025 Tobamovirus <i>Solanaceae</i> -group (AEaV, BPeMV, CPMMoV, ObPV, PaMMV, PMMoV, ReMV, ToBRFV, ToMMV, ToMV, TMGMV, TMV, TSAMV, YTMmV, YPMmOv)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 11,20	
			Max. 10 leaves	€ 19,70	
			Max. 25 leaves	€ 51,00	
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00	
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00	

**Saururaceae**

Such as *Houttuynia*

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TBRV, TMV-WU1, TNV1, TNV2, ToMV-DO3, TRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70	

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.



## Saxifragaceae

Such as *Astilbe*, *Bergenia*, *Francoa*, *Heuchera*, *Rodgersia*, *Saxifraga*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TBRV, TMV-WU1, TNV1, TNV2, ToMV-DO3, TRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Scrophulariaceae

Such as *Bacopa*, *Buddleja*, *Diascia*, *Hebe*, *Nemesia*, *Phygellus*, *Sutera*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, AnFBV (AFMoV), ArMV, BWYV, CMV, CVB, INSV, Potyvirus <sup>1</sup> , ScrMV, TMV-WU1, ToMV-DO3, ToRSV, TRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
BaCV, BBWV, TBRV/BRSV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90
Pospiviroids (CEVd, CLVd, CSVd, IrVd1, PCFVd, PoIVd, PSTVd, TASVd, TCDVd, TPMVd)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 9,60
			Max. 10 leaves	€ 18,00
			Max. 25 leaves	€ 49,30
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 90,00
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Solanaceae

Such as *Calibrachoa*, *Capsicum*, *Petunia*, *Solanum*

Virus					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)	
AMV, ArMV, CbMV, CMV, INSV, PepMV, Potyvirus <sup>1</sup> , PVX, RMV, TAV, TBSV, TBRV, TMGMV, TMV-WU1, TNV1, TNV2, ToMV-DO3, ToRSV, TRSV, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70	
BBWV	PCR	4	Max. 2 leaves	€ 9,20	
			Max. 10 leaves	€ 17,70	
			Max. 25 leaves	€ 48,90	
Pospiviroids (CEVd, CLVd, CSVd, IrVd1, PCFVd, PolVd, PSTVd, TASVd, TCDVd, TPMVd)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 9,60	
			Max. 10 leaves	€ 18,00	
			Max. 25 leaves	€ 49,30	
			Max. 200 leaves	€ 90,00	
Tobamovirus <i>Solanaceae</i> -group (AEaV, BPeMV, CPMMoV, ObPV, PaMMV, PMMoV, ReMV, ToBRFV, ToMMV, ToMV, TMGMV, TMV, TSAMV, YTMmV, YPMMoV)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 11,20	
			Max. 10 leaves	€ 19,70	
			Max. 25 leaves	€ 51,00	
Tobacco ringspot virus (TRSV) confirmation by NPPO	External			€ 183,00	
Tomato ringspot virus (ToRSV) confirmation by NPPO	External			€ 183,00	

NEW Jan. 2025

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## *Capsicum annuum* L., pepper

Bacteria					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i>	Culture method, incl. possible confirmation PCR	20	10,000 seeds	CMMA100PA	€ 288,00
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	4	10,000 seeds	CMMQ100	€ 259,00
			30,000 seeds	CMMQ300	€ 324,00
<i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (syn: <i>Clavibacter sepedonicus</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	CSQ100	€ 259,00
<i>Erwinia carotovora</i> subsp. <i>carotovora</i> (Synoniem: <i>Pectobacterium carotovorum</i> )	Culture method, incl. possible confirmation PCR	13	10,000 seeds	ECCA100	€ 283,00
<i>Ralstonia solanacearum</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	RSQ100	€ 259,00
<i>Ralstonia solanacearum</i> confirmation by NPPO	External				€ 183,00
<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> )	Culture method, incl. possible confirmation PCR	17	10,000 seeds	XCVA100PA	€ 289,00
			30,000 seeds	XCVA300PA	€ 384,00
<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBIXVEPGQ100	€ 356,00

**Capsicum annuum L., pepper (Continued)**

<b>Bacteria (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests:</b>					
<b>2 pathogens</b>					
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> and <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Syn: <i>Clavibacter sepedonicus</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICCQ100	€ 306,00
<b>NEW Feb. 2025</b> <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> and <i>Ralstonia solanacearum</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICRQ100	€ 306,00
<b>NEW Aug. 2024</b> <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> and <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICXQ100	€ 404,00
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> and <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> )	Culture method, incl. possible confirmation PCR	20	10,000 seeds	COMBICXA100PA	€ 498,00
<i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Syn: <i>C. sepedonicus</i> ) and <i>Ralstonia solanacearum</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICSQ100	€ 306,00
<b>3 pathogens</b>					
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> , <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Syn: <i>C. sepedonicus</i> ) and <i>Ralstonia solanacearum</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICCSQ100	€ 356,00

<b>Fungi</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Verticillium dahliae</i>	Culture method	14	200 seeds	VDA002	€ 183,00
			400 seeds	VDA004	€ 366,00

**Capsicum annuum L., pepper (Continued)**

<b>Nematodes</b>					
Pathogen	Method	Lead time	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuus</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Alfalfa mosaic virus (AMV)	PCR	4	3,000 seeds	AMVQ030	€ 259,00
Arabis mosaic virus (ArMV)	PCR	4	3,000 seeds	ARMVQ030	€ 259,00
Pospiviroids (CEVd, CLVd, PCFVd, PSTVd, TASVd, TCDVd and TPMVd)	PCR	4	3,000 seeds	COMBIPOSIQ030PA	€ 404,00
			4,800 seeds (12 x 400)	COMBIPOSIQ048PA	€ 940,00
			20,000 seeds	COMBIPOSIQ200PA	€ 2.580,00
PSTVd, TCDVd, TPMVd	PCR	4	3,000 seeds	PSTVDQ030PA	€ 259,00
Tobacco rattle virus (TRV)	PCR	4	3,000 seeds	TRVQ030	€ 259,00
Tobacco ringspot virus (TRSV)	PCR	4	3,000 seeds	TRSVQ030	€ 259,00
Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TSVQ030	€ 259,00
Tobamovirus (ToMV-D03, TMV-WU1, PMMoV)	Bio-assay	11	3,000 seeds	TOBAMOB030	€ 274,00
	ELISA	4	3,000 seeds	COMBITOBAMOEPA	€ 330,00
Tomato black ring virus/Beet ringspot virus (TBRV/BRSV)	PCR		3,000 seeds	TBRVQ030	€ 259,00
Tomato brown rugose fruit virus (ToBRFV)	PCR, incl. possible confirmation PCR	4	3,000 seeds	TOBRFVQ030	€ 263,00
			4,800 seeds (12 x 400)	TOBRFVQ048	€ 690,00
			6,000 seeds	TOBRFVQ060	€ 328,00
			20,000 seeds	TOBRFVQ200	€ 1.810,00
Tomato brown rugose fruit virus (ToBRFV) confirmation on request					
Tomato bushy stunt virus (TBSV)	ELISA	4	3,000 seeds	TBSVE030	€ 218,00
Tomato mottle mosaic virus (ToMMV)	PCR	4	3,000 seeds	TOMMVQ030	€ 259,00
			4,800 seeds (12 x 400)	TOMMVQ048	€ 680,00
			20,000 seeds (50 x 400)	TOMMVQ200	€ 1.810,00
Tomato ringspot virus (ToRSV)	PCR		3,000 seeds	TORSVQ030	€ 259,00
Tomato yellow leaf curl virus (TYLCV)	PCR	4	3,000 seeds	TYLCVQ030	€ 259,00

NEW Jan. 2025





**Capsicum annuum L., pepper (Continued)**

<b>Virus</b>					
<b>Pathogen</b>	<b>Method</b>	<b>Lead time (more info on page 13)</b>	<b>Sample size</b>	<b>Test code</b>	<b>Test rate (ex. base rate page 6)</b>
<b>Combination tests:</b>					
<b>2 viruses</b>					
ArMV and TBRV/BRSV	PCR	4	3,000 seeds	COMBITAQ030	€ 306,00
ArMV and TRSV	PCR	4	3,000 seeds	COMBIATQ030	€ 306,00
Pospiviroids and ToBRFV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPTQ030PA	€ 458,00
			4,800 seeds	COMBIPTQ048PA	€ 1.030,00
Pospiviroids and ToMMV	PCR	4	3,000 seeds	COMBIPTOMQ030PA	€ 453,00
			4,800 seeds	COMBIPTOMQ048PA	€ 1.080,00
Pospiviroids and ToRSV	PCR	4	3,000 seeds	COMBIPOTQ030PA	€ 453,00
PSTVd and ToBRFV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPSTOQ030PA	€ 311,00
TBRV/BRSV and ToRSV	PCR	2	3,000 seeds	COMBITBTOQ030	€ 306,00
NEW July 2024 TBRV/BRSV and TSV	PCR	4	3,000 seeds	COMBITOTBQ030	€ 306,00
ToBRFV and ToMMV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBITTQ030	€ 311,00
ToRSV and TRSV	PCR	4	3,000 seeds	COMBITOTRQ030	€ 306,00
<b>3 viruses</b>					
ArMV, TBRV/BRSV en TRSV	PCR	4	3,000 seeds	COMBIATTQ030	€ 356,00
NEW Nov. 2024 Pospiviroids, ToBRFV and ToRSV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPTOTOQ030PA	€ 510,00
Pospiviroids, ToBRFV and ToMMV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPTTQ030PA	€ 510,00
			4,800 seeds	COMBIPTTQ048PA	€ 1.180,00
			20,000 seeds	COMBIPTTQ200PA	€ 3.090,00



**Solanum lysopersicum, tomato**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i>	Culture method, incl. possible confirmation PCR	20	10,000 seeds	CMMA100	€ 288,00
			20,000 seeds	CMMA200	€ 384,00
			30,000 seeds	CMMA300	€ 384,00
			50,000 seeds	CMMA500	€ 710,00
			60,000 seeds	CMMA600	€ 710,00
			80,000 seeds	CMMA800	€ 1.410,00
			100,000 seeds	CMMA1000	€ 1.410,00
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	4	10,000 seeds	CMMQ100	€ 259,00
	SE-PCR and culture	20	30,000 seeds	CMMQ300	€ 324,00
			10,000 seeds	COMBICMMQA100	€ 570,00
			30,000 seeds	COMBICMMQA300	€ 740,00
<i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Syn: <i>Clavibacter sepedonicus</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	CSQ100	€ 259,00
<i>Erwinia carotovora</i> subsp. <i>carotovora</i> (Syn: <i>Pectobacterium carotovorum</i> )	Culture method, incl. possible confirmation PCR	13	10,000 seeds	ECCA100	€ 283,00
<i>Pseudomonas syringae</i> pv. <i>tomato</i>	Culture method, incl. possible confirmation PCR	17	10,000 seeds	PSTA100	€ 289,00
			30,000 seeds	PSTA300	€ 384,00
<i>Pseudomonas syringae</i> pv. <i>tomato</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	PSTQ100	€ 259,00
<i>Ralstonia solanacearum</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	RSQ100	€ 259,00
<i>Ralstonia solanacearum</i> confirmation by NPPO	External				€ 183,00
<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> groep (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> )	Culture method, incl. possible confirmation PCR	17	10,000 seeds	XCVA100	€ 289,00
			30,000 seeds	XCVA300	€ 384,00
<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> groep (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBIXVEPGQ100	€ 356,00



**Solanum lysopersicum, tomato (Continued)**

<b>Bacteria (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests:</b>					
<b>2 pathogens</b>					
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> and <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Syn: <i>Clavibacter sepedonicus</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICCQ100	€ 306,00
<i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Syn: <i>Clavibacter sepedonicus</i> ) and <i>Ralstonia solanacearum</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICSQ100	€ 306,00
<b>NEW Feb. 2025</b> <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> and <i>Ralstonia solanacearum</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICRQ100	€ 306,00
<b>NEW Aug. 2024</b> <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> and <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICXQ100	€ 404,00
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> and <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> )	Culture method, incl. possible confirmation PCR	20	10,000 seeds	COMBICXA100	€ 510,00
			20,000 seeds	COMBICXA200	€ 610,00
			30,000 seeds	COMBICXA300	€ 610,00
			50,000 seeds	COMBICXA500	€ 940,00
			60,000 seeds	COMBICXA600	€ 940,00
<i>Erwinia carotovora</i> subsp. <i>carotovora</i> and <i>Pseudomonas syringae</i> pv. <i>tomato</i>	Culture method, incl. possible confirmation PCR	17	10,000 seeds	COMBIEPA100	€ 600,00
<i>Pseudomonas syringae</i> pv. <i>tomato</i> and <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> )	Culture method, incl. possible confirmation PCR	17	10,000 seeds	COMBIPXA100	€ 510,00
			30,000 seeds	COMBIPXA300	€ 610,00
<b>3 pathogens</b>					
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> , <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> (Syn: <i>S. sepedonicus</i> ) and <i>Ralstonia solanacearum</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICCSQ100	€ 356,00
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> , <i>Pseudomonas syringae</i> pv. <i>tomato</i> and <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> )	Culture method, incl. possible confirmation PCR	20	10,000 seeds	COMBICPXA100	€ 710,00
			20,000 seeds	COMBICPXA200	€ 810,00
			30,000 seeds	COMBICPXA300	€ 810,00
			50,000 seeds	COMBICPXA500	€ 1.150,00
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> , <i>Pseudomonas syringae</i> pv. <i>tomato</i> and <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICPXQ100	€ 453,00
			30,000 seeds	COMBICPXQ300	€ 520,00



**Solanum lysopersicum, tomato (Continued)**

**Bacteria (Continued)**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests: (Continued)</b>					
<b>4 pathogens</b>					
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> , <i>Erwinia carotovora</i> subsp. <i>carotovora</i> , <i>Pseudomonas syringae</i> pv. <i>tomato</i> and <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> )	Culture method, incl. possible confirmation PCR	20	10,000 seeds	COMBICPXE100	€ 930,00

**Fungi**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Alternaria solani</i>	Culture method	12	200 seeds	ASF002	€ 159,00
<i>Didymella lycopersici</i>	Culture method	11	200 seeds	DLA002	€ 183,00
<i>Fusarium oxysporum</i> f.sp. <i>lycopersici</i>	Culture method, incl. possible confirmation PCR	11	200 seeds	FOLA002	€ 206,00
<i>Verticillium dahliae</i>	Culture method	14	200 seeds	VDA002	€ 183,00

**Nematodes**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Virus**

NEW Jan. 2025

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Alfalfa mosaic virus (AMV)	PCR	4	3,000 seeds	AMVQ030	€ 259,00
Arabis mosaic virus (ArMV)	PCR	4	3,000 seeds	ARMVQ030	€ 259,00
<i>Pelargonium zonate spot virus</i> (PZSV)	ELISA	4	3,000 seeds	PZSVE030	€ 218,00



**Solanum lysopersicum, tomato (Continued)**

<b>Virus (Continued)</b>					
<b>Pathogen</b>	<b>Method</b>	<b>Lead time (more info on page 13)</b>	<b>Sample size</b>	<b>Test code</b>	<b>Test rate (ex. base rate page 6)</b>
Pepino mosaic virus (PepMV)	ELISA	4	Max. 14 leaves	PEPMVE0BL	€ 5,70
	PCR		3,000 seeds	PEPMVQ030	€ 259,00
			4,800 seeds (12 x 400)	PEPMVQ048	€ 520,00
			20,000 seeds (20 x 1,000)	PEPMVQ200	€ 1.810,00
Pospiviroids (CEVd, CLVd, PCFVd, PSTVd, TASVd, TCDVd and TPMVd)	PCR	4	3,000 seeds	COMBIPOSPIQ030	€ 404,00
			4,800 seeds (12 x 400)	COMBIPOSPIQ048	€ 940,00
			6,000 seeds	COMBIPOSPIQ060	€ 470,00
			20,000 seeds	COMBIPOSPIQ200	€ 2.580,00
PSTVd, TCDVd, TPMVd	PCR	4	3,000 seeds	PSTVDQ030	€ 259,00
NEW July 2024 Strawberry latent ringspot virus (SLRSV)	PCR	4	3,000 seeds	SLRSVQ030	€ 259,00
Tobacco rattle virus (TRV)	PCR	4	3,000 seeds	TRVQ030	€ 259,00
Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TRSVQ030	€ 259,00
Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TSVQ030	€ 259,00
Tobamovirus (ToMV-DO3 en TMV-WU1)	Biotoets	11	3,000 seeds	TOBAMOB030	€ 274,00
	ELISA	4	3,000 seeds	COMBITOBAMOE	€ 274,00
Tomato black ring virus/Beet ringspot virus (TBRV/BRSV)	PCR	4	3,000 seeds	TBRVQ030	€ 259,00
Tomato brown rugose fruit virus (ToBRFV)	PCR, incl. possible confirmation PCR	4	3,000 seeds	TOBRFVQ030	€ 263,00
			4,800 seeds (12 x 400)	TOBRFVQ048	€ 690,00
			6,000 seeds	TOBRFVQ060	€ 328,00
			20,000 seeds (20 x 1,000)	TOBRFVQ200	€ 1.810,00
Tomato brown rugose fruit virus (ToBRFV) confirmation on request					€ 97,00
Tomato bushy stunt virus (TBSV)	ELISA	4	3,000 seeds	TBSVE030	€ 218,00
Tomato mottle mosaic virus (ToMMV)	PCR	4	3,000 seeds	TOMMVQ030	€ 259,00
			4,800 seeds	TOMMVQ048	€ 680,00
			20,000 seeds (20 x 1,000)	TOMMVQ200	€ 1.810,00
Tomato ringspot virus (ToRSV)	PCR	4	3,000 seeds	TORSVQ030	€ 259,00
Tomato yellow leaf curl virus (TYLCV)	PCR	4	3,000 seeds	TYLCVQ030	€ 259,00



**Solanum lysopersicum, tomato (Continued)**

<b>Virus (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests:</b>					
<b>2 viruses</b>					
ArMV and TBRV/BRSV	PCR	4	3,000 seeds	COMBITAQ030	€ 306,00
ArMV and TRSV	PCR	4	3,000 seeds	COMBIATQ030	€ 306,00
PepMV and Pospiviroids	PCR	4	3,000 seeds	COMBIPPQ030	€ 453,00
NEW Jan. 2025 PepMV and PSTVd	PCR	4	3,000 seeds	COMBIPEPQ030	€ 306,00
PepMV and ToBRFV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBITPQ030	€ 311,00
			4,800 seeds	COMBITPQ048	€ 650,00
PepMV and ToRSV	PCR	4	3,000 seeds	COMBIPTQ030	€ 306,00
Pospiviroids and ToBRFV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPTQ030	€ 458,00
			4,800 seeds	COMBIPTQ048	€ 1.030,00
			20,000 seeds (20 x 1,000)	COMBIPTQ200	€ 2.830,00
Pospiviroids and ToMMV	PCR	4	3,000 seeds	COMBIPTOMQ030	€ 453,00
			4,800 seeds	COMBIPTOMQ048	€ 1.080,00
			20,000 seeds (20 x 1,000)	COMBIPTOMQ200	€ 2.830,00
NEW Oct. 2024 Pospiviroids and TYLCV	PCR	4	3,000 seeds	COMBIPTYQ030	€ 453,00
NEW Aug. 2024 PSTVd and TBRV/BRSV	PCR	4	3,000 seeds	COMBIPSTBQ030	€ 306,00
PSTVd and ToBRFV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPSTOQ030	€ 311,00
			3,000 seeds	COMBITOPSQ030	€ 325,00
NEW July 2024 PSTVd and ToRSV	PCR	4	3,000 seeds	COMBITOTBQ030	€ 306,00
TBRV/BRSV and TSV	PCR	4	3,000 seeds	COMBITBTQ030	€ 306,00
TBRV/BRSV and ToRSV	PCR	4	3,000 seeds	COMBITTQ030	€ 311,00
ToBRFV and ToMMV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBITTQ030	€ 311,00
			20,000 seeds (20 x 1,000)	COMBITTQ200	€ 2.080,00
ToBRFV and ToRSV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBITOTOQ030	€ 311,00
NEW July 2024 ToMMV and TSV	PCR	4	3,000 seeds	COMBITOTSQ030	€ 306,00
ToRSV and TRSV	PCR	4	3,000 seeds	COMBITOTRQ030	€ 306,00
ToRSV and TYLCV	PCR	4	3,000 seeds	COMBITORTYQ030	€ 306,00
<b>3 viruses</b>					
ArMV, TBRV/BRSV and TRSV	PCR	4	3,000 seeds	COMBIATTQ030	€ 356,00
PepMV, Pospiviroids and ToBRFV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPPTQ030	€ 510,00
			4,800 seeds	COMBIPPTQ048	€ 1.160,00
NEW July 2024 PepMV, PSTVd and ToBRFV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPTPQ030	€ 361,00
NEW Mrt. 2025 PepMV, ToBRFV and ToMMV	PCR, incl. possible confirmation PCR	4	20,000 seeds (20 x 1,000)	COMBIPETTQ200	€ 2.330,00
PepMV, ToBRFV and TYLCV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBITPTQ030	€ 359,00
Pospiviroids, ToBRFV and ToMMV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPTTQ030	€ 510,00
			4,800 seeds	COMBIPTTQ048	€ 1.180,00
			20,000 seeds (20 x 1,000)	COMBIPTTQ200	€ 3.090,00



**Solanum lysopersicum, tomato (Continued)**

<b>Virus (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests (Continued):</b>					
<b>3 viruses (Continued)</b>					
Pospiviroids, ToMMV and ToRSV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBITTPQ030	€ 500,00
TBSV, ToMV and TMV	ELISA	4	3,000 seeds	COMBITTTE030	€ 330,00
ToMMV, ToRSV and TYLCV	PCR	4	3,000 seeds	COMBITTTQ030	€ 356,00
<b>4 viruses</b>					
PepMV, Pospiviroids, ToBRFV and ToMMV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPPTTQ030	€ 560,00
			4,800 seeds	COMBIPPTTQ048	€ 1.300,00
			20,000 seeds (20 x 1,000)	COMBIPPTTQ200	€ 3.340,00
PepMV, PSTVd, TBRV/BRSV and ToBRFV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBITPTPQ030	€ 404,00
Pospiviroids, ToBRFV, ToMMV and ToRSV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPTTTQ030	€ 550,00
Pospiviroids, ToBRFV, ToMMV and TYLCV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBITTTPQ030	€ 550,00
<b>5 viruses</b>					
ArMV, PepMV, TBRV/BRSV, ToRSV and TSV	PCR	4	3,000 seeds	COMBIAPTTTQ030	€ 453,00
PepMV, Pospiviroids, ToBRFV, ToMMV and ToRSV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBITTTTPQ030	€ 600,00
PepMV, Pospiviroids, ToBRFV, ToMMV and TYLCV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPPTTTQ030	€ 600,00
<b>6 viruses</b>					
<b>NEW Oct. 2024</b> PepMV, Pospiviroids, ToBRFV, ToMMV, TSV and TYLCV	PCR, incl. possible confirmation PCR	4	3,000 seeds	COMBIPPTTTTQ030	€ 650,00

**Solanum melongena, eggplant**

<b>Bacteria</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>NEW Jan. 2025</b> <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i>	Culture method, incl. possible confirmation PCR	20	10,000 seeds	CMMA100PA	€ 288,00
<b>NEW Jan. 2025</b> <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	CMMQ100	€ 259,00
<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> )	Culture method, incl. possible confirmation PCR	17	10,000 seeds	XCVA100	€ 289,00
			30,000 seeds	XCVA300	€ 384,00

**Solanum melongena, eggplant (Continued)**

**Bacteria (Continued)**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests:</b>					
<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBIXVEPGQ100	€ 356,00
<i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> and <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (XCV-group) ( <i>X.gardneri</i> , <i>X.euvesicatoria</i> , <i>X.perforans</i> and <i>X.vesicatoria</i> ) (Only possible for seeds not treated with hypochlorite)	SE-PCR	5	10,000 seeds	COMBICXQ100	€ 404,00

NEW Jan. 2025

**Fungi**

Pathogen	Method	Lead time	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Vertillium dahliae</i>	Culture method	14	200 seeds	VDA002	€ 183,00

**Nematodes**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<i>Aphelenchoides</i> spp.	Mist method	5	30,000 seeds	APHEM300	€ 78,50
<i>Aphelenchoides fragariae</i>	Mist method	5	30,000 seeds	APHE-FRM300	€ 65,00
<i>Aphelenchoides ritzemabosi</i>	Mist method	5	30,000 seeds	APHE-RIM300	€ 65,00
<i>Aphelenchoides subtenuis</i>	Mist method	5	30,000 seeds	APHE-SUM300	€ 65,00
<i>Ditylenchus</i> spp.	Mist method	5	30,000 seeds	DITYM300	€ 65,00
<i>Ditylenchus destructor</i>	Mist method	5	30,000 seeds	DITY-DEM300	€ 65,00
<i>Ditylenchus dipsaci</i>	Mist method	5	30,000 seeds	DITY-DIM300	€ 65,00
<b>Combination tests:</b>					
<i>Aphelenchoides</i> and <i>Ditylenchus</i>	Mist Method	4	30,000 seeds	COMBIAD300	€ 102,00
<i>Ditylenchus destructor</i> and <i>Ditylenchus dipsaci</i>	Mist Method	5	30,000 seeds	COMBIDDD300	€ 65,00

**Virus**

Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Alfalfa mosaic virus (AMV)	PCR	4	3,000 seeds	AMVQ030	€ 259,00
Arabis mosaic virus (ArMV)	PCR	4	3,000 seeds	ARMVQ030	€ 259,00
Pepino mosaic virus (PepMV)	PCR	4	3,000 seeds	PEPMVQ030	€ 259,00
			4,800 seeds (12 x 400)	PEPMVQ048	€ 520,00
			20,000 seeds	PEPMVQ200	€ 1.810,00

NEW Jan. 2025





**Solanum melongena, eggplant (Continued)**

<b>Virus (Continued)</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
Pospiviroids (CEVd, CLVd, MPVd, PCFVd, PSTVd, TASVd, TCDVd and TPMVd)	PCR	4	3,000 seeds	COMBIPOSPIQ030PA	€ 404,00
			4,800 seeds (12 x 400)	COMBIPOSPIQ048PA	€ 940,00
			20,000 seeds	COMBIPOSPIQ200PA	€ 2.580,00
NEW Jan. 2025 PSTVd, TCDVd, TPMVd	PCR	4	3,000 seeds	PSTVDQ030PA	€ 259,00
Tobacco rattle virus (TRV)	PCR	4	3,000 seeds	TRVQ030	€ 259,00
Tobacco ringspot virus (TRSV)	PCR	4	3,000 seeds	TRSVQ030	€ 259,00
Tobacco streak virus (TSV)	PCR	4	3,000 seeds	TSVQ030	€ 259,00
Tomato black ring virus/Beet ringspot virus (TBRV/BRSV)	PCR	4	3,000 seeds	TBRVQ030	€ 259,00
Tomato ringspot virus (ToRSV)	PCR	4	3,000 seeds	TORSVQ030	€ 259,00
Tomato yellow leaf curl virus (TYLCV)	PCR	4	3,000 seeds	TYLCVQ030	€ 259,00
<b>Combination tests:</b>					
<b>2 viruses</b>					
ArMV and TBRV/BRSV	PCR	4	3,000 seeds	COMBITAQ030	€ 306,00
ArMV and TRSV	PCR	4	3,000 seeds	COMBIATQ030	€ 306,00
NEW July 2024 TBRV/BRSV and TSV	PCR	4	3,000 seeds	COMBITOTBQ030	€ 306,00
TBRV/BRSV and ToRSV	PCR	4	3,000 seeds	COMBITBTOQ030	€ 306,00
ToRSV and TRSV			3,000 seeds	COMBITOTRQ030	€ 306,00
<b>3 viruses</b>					
ArMV, TBRV/BRSV and TRSV	PCR	4	3,000 seeds	COMBIATTQ030	€ 356,00

**Solanum sisymbriifolium, sticky nightshade**

<b>Virus</b>					
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test code	Test rate (ex. base rate page 6)
<b>Combination tests:</b>					
Pospiviroids (CEVd, CLVd, MPVd, PCFVd, PSTVd, TASVd, TCDVd and TPMVd)	PCR	4	3,000 seeds	COMBIPOSPIQ030PA	€ 404,00
			4,800 seeds (12 x 400)	COMBIPOSPIQ048PA	€ 940,00
			20,000 seeds	COMBIPOSPIQ200PA	€ 2.580,00
ToRSV and TRSV	PCR	4	3,000 seeds	COMBITBTOQ030	€ 306,00



## Tropaeolaceae

Such as *Tropaeolum*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TSWV, TRV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
BBWV, VeLV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Turneraceae

Such as *Turnera*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Urticaceae

Such as *Pilea*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Verbenaceae

Such as *Aloysia*, *Caryopteris*, *Clerodendron*, *Lantana*, *Lippia*, *Verbena*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, AnFBV (AFMoV), CMV, INSV, Potyvirus <sup>1</sup> , ScrMV, TMV-WU1, ToMV-DO3, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70
BacV, BBWV, VeLV	PCR	4	Max. 2 leaves	€ 9,20
			Max. 10 leaves	€ 17,70
			Max. 25 leaves	€ 48,90
Pospiviroids (CEVd, CLVd, MPVd, PCFVd, PSTVd, TASVd, TCDVd and TPMVd)	PCR, incl. possible confirmation PCR	4	Max. 2 leaves	€ 9,60
			Max. 10 leaves	€ 18,00
			Max. 25 leaves	€ 49,30
			Max. 200 leaves	€ 90,00

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.

## Violaceae

Such as *Viola*

Virus				
Pathogen	Method	Lead time (more info on page 13)	Sample size	Test rate per virus (ex. base rate page 6)
AltMV, AMV, ArMV, CMV, INSV, Potyvirus <sup>1</sup> , TMV-WU1, ToMV-DO3, TRV, TSWV	ELISA	4	1-2 leaves/cuttings, in total ca. 2 cm <sup>2</sup>	€ 5,70

<sup>1</sup> If you provide material for testing on Potyvirus, please send a separate sample. We cannot combine this with other ELISA virus tests.